


Licensed Phoenix USA Distributor

Reed & Hoppes Inc.

2661 E Grand River Ave, Portland, MICHIGAN 48875 To Order Equipment or Parts Call

517-647-4441 OR 616-527-1672 WWW.REEDANDHOPPES.COM







Phoenix USA Inc. strives to offer the best and most current products available in a timely manner. We reserve the right to make changes to product, part numbers, specifications and pricing without notice. We make every effort to supply our customers with literature that is informative, descriptive, and accurate. We are not responsible for errors or misinterpretations of information or products contained herein.

To request product information or to place an order you may contact Customer Service at 931-526-6128, fax orders to 931-526-1795 or email to cs2@phoenixusa.com. Visit us online at www.phoenixusa.com for more product information.

TERMS

Phoenix USA accepts payment via Cash, Check, Visa or MasterCard. Qualified customers may be offered Net 30 terms with approved credit. Past due invoices are charged a 1.5% service charge and future orders may be placed on hold until invoices are current and within credit limit. Checks returned for insufficient funds may be charged a minimum handling fee of \$35.00.

ORDERING

Minimum orders are \$50 U.S. currency. Under-the-minimum orders may be subjected to a service charge. Orders are accepted from qualified manufacturers and distributors. We reserve the right to refuse to sell to individuals or unqualified customers. Possession of any Phoenix USA Inc. published literature is not necessarily an offer to sell.

CONFIRMATION OF ORDERS

For customers requiring confirmation of orders, please email to cs2@phoenixusa.com or fax to 931-526-1795.

FULFILLMENT OF ORDERS

Orders received by 1 PM Central Standard Time (CST), Monday through Friday typically ship on same day. Special orders or non-stock items are shipped as soon as possible, subject to credit approval.

FREIGHT TERMS

All items ship F.O.B. Cookeville, TN unless otherwise specified. We strive to ship product in the most efficient and cost effective method possible.

DAMAGE CLAIMS

Customer assumes responsibility to inspect shipments for damages and shortages and to notate with freight carrier upon receipt of shipment. In cases of third party billing, the payor of freight bill must file claims with carrier for damages and for shortages. Phoenix USA Inc. is not allowed to file claims with carriers once shipment leaves our premises.

RETURNS

In the event items need to be returned to Phoenix USA, Inc., customer needs to contact Phoenix USA for approval and to receive a Return Material Authorization (RMA). The RMA must be marked on the outside of the carton(s). Phoenix USA reserves the right to refuse items that are improperly packaged, are missing the original packaging or marked with an incorrect RMA number. Credit may not be issued for product that is damaged, altered, incorrectly installed, repaired, mounted, or otherwise misused. All returns may be subjected to a minimum 25% restocking fee. Customer is responsible for freight charges on returned product. *Please note Special Order items are nonreturnable.

WARRANTY

All Phoenix USA, Inc. products are warranted from manufacturing defects and workmanship from 1 to 5 years limited warranty, depending upon product line. Stainless steel simulators have a three year limited warranty. Any products that have been incorrectly installed, repaired, altered or otherwise misused will void warranty claims. Customer should contact Phoenix USA Warranty department to request returning defective item(s) and to receive (RMA) Return Material Authorization for returning product to Phoenix USA, Inc. Upon receipt of product, trained personnel will inspect and evaluate the product(s) submitted for warranty claim. Determination of claim will be made and communicated to customer in a timely manner. Qualified items will be replaced at no charge and no freight. Customer will be responsible for freight charges on returning items to Phoenix USA, Inc.

LIABILITY

Other than for intentional misconduct or fraud, the total liability to Phoenix USA, Inc., including any of its owners, shareholders, officers, directors, members, partners, employees and agents (hereinafter all collectively "Phoenix USA"), for any and all losses and damages arising out of any cause whatsoever shall in no event exceed the purchase price of the products or parts in respect of which such cause arises, whether such cause be based on theories of contract, negligence, strict liability, tort or otherwise. Phoenix USA shall not be liable for incidental, consequential or punitive damages, or other losses. Phoenix USA shall not be liable for, and consumer assumes liability for, all personal injury and property damage connected with the handling, transportation, possession, installation, other use, or resale of the product, whether used alone or in combination with any other product or material. If Phoenix USA furnishes technical advice to consumer, whether or not at consumer's request, with respect to installation, application, or use of the product and/ or its related parts, Phoenix USA shall not be liable for such technical advice and buyer assumes all risks of such advice and the results there of. NOTE: Some states do not allow the limitation or exclusion of incidental or consequential damages, so the above limitations or exclusions, wholly or partially, may not apply. The portions of this limited warranty and limitation of liability shall be considered severable and all portions that are not disallowed by applicable law shall remain in full force and effect.

Thank You For Choosing Phoenix USA, Inc.

Since 1985, Phoenix USA, Inc. has been providing dependable quality service to our customers and partners. We are located in middle Tennessee in the city of Cookeville, and our facility totals more than 145,000 square feet.

Our broad range of production abilities offers a unique solution to your company's needs. The added value of issuing one purchase order to one vendor offers our partners an advantage in increased productivity, decreased inventory costs, and an ability to concentrate on your core competencies.

Phoenix USA, Inc. is an ISO9001 certified company that continuously strives to meet the highest industry standards.

Phoenix USA, Inc. also offers an additional product line... The Tow-Rax[®] line of storage solutions for your garage, shop & trailer needs.

If you would like an additional catalog, feel free to call our customer service representatives at 931.526.6128, send a request via email to our helpful customer service staff at cs2@phoenixusa.com or visit us online and view our full line of products.

Visit

www.phoenixusa.com or www.towrax.com

for more information.

Things to see on PhoenixUSA.com:

- Our full catalog
- Retail pricing
- Simulator cross-reference
- Installation instructions
 - Credit application
 - Vehicle pictures

• F.A.Q.s

• Trade Show Schedule



Scan to visit our website

Contents

WHEEL SIMULATORS

Wheel Information
Terms & Definitions 4 Finding Wheel Information 4 Wheel Simulator Descriptions 6
Air Inflation/Valve Extensions8-
Application Guide
Alcoa Aluminum Wheels & Accessories19

WHEEL ACCESSORIES

QuickTrim [®]
Medium Duty Truck Hub &
Lugnut Covers 20-21
Medium & Heavy Duty
Hub & Lugnut Covers 22-23
Lugnut Covers
Hub Covers/Trim Rings
for Trailers 24-25
Golf Carts/Mowers 26

STORAGE PRODUCTS

Tool Boxes	.27-31
3-Drawer Tool Boxes	31
Tool Box Insert	31
Underbody Mesh Baskets	32
Tool Box Accessories	.33-35
Tool Box Mounting Bracket	s36
Tool Box Replacement Part	s37

LIGHTING

Phoenix USA Light Bars38-40
Work Lights 41
Lighting and Switch Panels 42

ELECTRICAL ACCESSORIES

Junction Boxes	42
Switch Panels	42

BODY ACCESSORIES


Handles/Grab Rails 4	3
Body Flares 4	4
Fenders 4	5
Spare Tire Storage 4	5

Tow-Rax®

Garage/Trailer Storage46-47

Wheel Simulator Parts

Breakdown Index48-67





Glossary of Terms & Definitions

Baby Moon/Pop-In Usually associated with hub covers for the front aluminum wheel.

- **Smooth** A hub cover that is a one piece, with no logo indention.
- Emblem A hub cover that is a one piece, with logo indention.
- **Open** A hub cover that is a one piece, with an open center area.

Bolt Circle (BC) The measurement between the stud center to the opposite side stud circle center.

"Clocking" a wheel/liner The process of rotating a wheel or wheel liner in order to line up hand holes, valve stem, and to ensure proper fit, etc.

DOT-Liner[®] A Simulator that mechanically attaches to the wheel. Does not require the removal of the lugnuts for installation.

Dual Wheel Two wheels are attached to the hub of the vehicle.

Flotation Wheel/Duplex Wheel/Super-Single Wheel 22.5" wide base wheels that are over 9" wide and have a recessed center.

Hand hole (HH) The openings on a wheel or wheel liner.



• Oval



Hub Cover A cover for only the center hub.

Hub piloted The wheel is "centered" or located into the proper location by the hub of the vehicle. The lugnuts on this type of application are usually black with a flat "swivel" washer on the bottom end.

Jamnut A hex head nut used to mechanically attach a DOTLiner.

Jamnut cover A cover that fits over the top of a jamnut for cosmetic purposes.

Liner/Wheel Simulator A cover for a wheel (normally a steel wheel) that gives the appearance of a chrome or polished aluminum wheel. Wheel simulators are usually made from stainless steel.

Lugnut A nut used to thread on a stud for attaching the wheel to the axle.

Pop-In Usually associated with hub covers for the front aluminum wheel. (see also "Baby Moon")

Quick-Liner[®] A Simulator that attaches to the wheel using a friction fit and/or clips. Does not require the removal of the lugnuts or any tools for installation.

Quick-Cover[®] A Simulator that attaches to the wheel using a ring mount system and does not require the removal of the lugnuts for installation.

Single wheel A single (one) wheel is attached to the hub of the vehicle.

Stud A threaded bolt used to thread a lugnut.

Stud extender A tube that is threaded on the inside and outside used to "extend" the OEM stud length to be able to attach the DOTLiner® wheel simulator.

Stud hole The opening through which the stud will protrude thru the wheel.

Stud piloted The wheel is "centered" or located into the proper location by the lugnuts. The lugnuts are usually tapered on one end and flat on the opposite end. Sometimes referred to as a "Ball Seat Wheel."

Tandem axle A pair of axles spaced close together.

Uni-Liner[®] A Simulator that mechanically attaches to the wheel and does require the removal of the lugnuts for a universal fit to wheel.

Wheel Simulator/Liner A cover for a wheel (normally a steel wheel) that gives the appearance of a chrome or polished aluminum wheel. Wheel simulators are usually made from stainless steel.

Terms & Information

Information you will need to determine the right simulator:

Figure 1

- 1. Find the wheel # at the location shown on Figure 1 to the right. Wheel #'s are usually used for larger size wheels.
- 2. Find the wheel diameter at the location shown on Figure 1 to the right.
- 3. Count the number of lugnuts.
- 4. Note the shape of the lugnuts:

HUB PILOTED





5. Note the type of wheel:








6. If you have dual wheels, count the number of hand holes on your wheel.

HAND HOLES




7. Note the hex size of the lugnuts.


Hub Pilot

1.5" 1.75"

30mm (1 3/16") 32mm (1 1/4") 33mm (1 5/16") 38mm (1 1/2")

41mm (1 5/8")





8. Some mounting styles require at least 3 threads of the stud protruding through the top of the lugnut for stud extenders.



WHEEL WIDTH (REAR) WHEEL # LOCATION LOCATION HAND HOLES STUD HOLES B

WHEEL

DIAMETER







About Our Simulators:

Wheel simulators are often used to cover a less attractive OEM steel wheel and improve the overall appearance of the vehicle by giving it more style. All Phoenix[®] USA, Inc. wheel simulators have been designed to fit a specific manufacturer's wheel. Always select a wheel simulator designed to fit your particular vehicle.

Wheel simulators must be installed carefully. Phoenix[®] USA, Inc. offers a variety of mounting styles described below. Depending on your vehicle year and make along with specific OEM wheel designs, mounting styles will vary from simulator to simulator. All simulators should fit flush to the OEM steel wheel and have no excess overhang. If your simulator does not firmly seat all the way around, do not drive with it.

D.O.T.Liner

Bolts on without removing the wheel lugnuts

- Does not violate chassis manufacturer's warranty
- Mirror polished stainless steel for lasting beauty and durability
- Pop-out centers for 4WD hubs
- Protective rolled edge for strength and handling safety
- Secure bolt-on installation





QuickLiner

Secure snap-on mounting provides quick and easy installation

- No lugnut removal required.
- Mirror polished stainless steel for lasting beauty and durability
- Protective rolled edge for strength and handling safety







Wheel Simulator Descriptions

QuickCover

Universal, no lug removal, ring mount

- For 17.5", 19.5" and 22.5" wheels.
- Rear valve extension included for easy air inflation and pressure checks.
- Made from highly polished, durable stainless steel
- Offers easy access to Stemco[®] oil seals (19.5" & 22.5").



Universal under-lug mounting

- Fits most 16" and 16.5" dual wheel trucks
- Mirror polished stainless steel for lasting beauty and durability
- Protective rolled edge for strength and handling safety
- Secure bolt-on installation



Under-lug mounting with excellent fit

- Protective rolled edge for strength and handling safety
- Mirror polished stainless steel for lasting beauty and durability







Phoenix[™] USA, Inc. Phone 931.526.6128 · Fax 931.526.1795

Valve stem extenders take the hassle out of inflating and checking the air pressure of dual tires. Inflation kits let you easily check air pressure and inflate your vehicle's dually tires by relocating the inner tire's valve stem to the outer wheel and extends the valve stem on the outer tire. Kits are designed to be used with steel wheels with wheel liners. All necessary hardware is included.

Outer Dual Valve Stem Extensions

AP3




Pair of outer valve stem extensions made of tough stainless steel for durability.






Two Hose Inner Dual Valve Stem Extension & Stabilizer Kits

- Rugged braided stainless steel hoses
- One pair of extensions with stabilizers
- · Quick and easy installation
- Makes checking and filling air easier
- Ideal for any brand of wheel simulators
- Live stem hoses








AirPlus® / AirMax® Air Inflation Systems



Four Hose Valve Stem Extensions **With Heavy Duty Brackets**

- · Braided stainless steel valve extensions for use with DOTLiner® dual wheel simulator kits
- Kits include four hoses and four brackets to provide easy air fill access to inner and outer tires.



AMG1

AMH1





Four hose kit with brackets for most dual wheels with lugnut hex of 1 1/16" and smaller. Fits part #s NF10, NF12, NF98, GD816, GDG92, GDG01, GDF16, GDF17, ND20, NDT165, NFS156.



Four hose kit with brackets for '03-'10 Chevy/GMC C4500 -C6500 with 19.5" 8Lug wheel.

AML₂

AML1



Four hose kit with brackets for part #s NF19, NF22, NF23, NF25, NG961, NG17, NG18, ND1912.



Four hose kit with brackets for most dual wheels with lugnut hex of 1 3/16" and larger. Fits part #s N252, N552, NH252, NH552, NH8495, NH5092, N6664, N6670.

AML3



Four hose kit with brackets for most dual wheels with lugnut hex of 1 1/16" and smaller. Fits all AML1 and AML2 applications but adds a 90° bend on male end of extension.

AMM2

Four hose kit with brackets for N6695, N6664, N6559, N6670, N6681.

Replacement Hoses

• 2500 PSI burst strength • Fit most major constant air pressure systems


- 8 strand braided steel Reduced chance of trapped debris
- Double crimped
- Brass knarling and valves

VE1301SS

13" replacement hose

VE1601SS

16" replacement hose





9 -

Bering Truck

Year	MODEL/ Description	DOTLiner®	QuickLiner®	QuickCover®	Custom Liner®	Uni-Liner®	AirPlus®	AirMax®
99-00	19.5" x 6.75" 6 lug	N6695						AMM2

Chevrolet/GMC

Year	MODEL/ Description	DOTLiner®	QuickLiner®	QuickCover®	Custom Liner®	Uni-Liner®	AirPlus®	AirMax®
01-10	C/K2500/C/K3500 2WD/4WD 16" 8 lug single wheel	NSG03						
88-00	C/K2500 & C/K3500 2WD/4WD 16" 8 lug single wheel		GQST60	QC160A**				
73-87	C20/C30 2WD 16" 8 lug single wheel		GQST60	QC160A**				
73-87	K20/K30 4WD 16" 8 lug single wheel		GQST60					
92-06	C/K2500 2WD/4WD Suburban 16" 8 lug single wheel		GQST60	QC160A**				
73-91	C25 2WD Suburban 16" 8 single wheel		GQST60	QC160A**				
73-91	K25 4WD Suburban 16" 8 lug single wheel		GQST60					
11-C	C/K 3500 HD 17" 8 lug dual wheel	NG18	QL74					AML2*
08-10	C/K 3500 HD 17" 8 lug dual wheel	NG17	QL74					AML2*
01-07	C/K 3500 2WD/4WD 16" 8 lug dual wheel	GDG01			SLG116		AP3/AP4	AML1*
90-00	C/K 3500 2WD/4WD 16" 8 lug dual wheel	GDG92	GQ64	QC160A**		SLU168	AP3/AP4	AML1*
88-89	C/K 3500 2WD/4WD 16" 8 lug dual wheel		GQ64	QC160A**		SLU168	AP3/AP4	
73-91	C30 & C35 2WD 16" 8 lug dual wheel		GQ64	QC160A**		SLU168	AP3/AP4	
73-91	K30 & K35 4WD 16" 8 lug dual wheel		GQ64	QC160A**			AP3/AP4	
73-87	C30 2WD 16.5" 8 lug dual wheel					SLU168	AP3/AP4	
90-03	3500HD 19.5" 5 Lug Front/10 Lug Rear	NG961		QC1019			AP3/AP4	AML2*
03-10	C4500 19.5"x 6.00" 8 lug, wheel # 29717	NH4860		QC1019			AP3/AP4	AMG1*
90-10	C4500/C5500/C6500 19.5"x 6.75" 8 lug Kodiak/Topkick Wheel # 28680, 50180	NH8494		QC1019			AP3/AP4	AMG1*
19-C	C4500/C5500/C6500 19.5" x 6.75" 8 lug	NH8495		QC1019			AP3/AP4	AMH1

* AirMax[®] only fits DOTLiner[®] / ** Will not fit BUDD brand wheels

Wheel Simulator Application Guide

03-C	G2500/G3500 16" 8 lug single wheel van	NSG03		QC160A**				
85-02	G20/G30 & G2500/ G3500 16" 8 lug single wheel van		GQST60	QC160A**				
03-C	G3500/G4500 16" 8 lug dual wheel van	GDG01			SLG116		AP3/AP4	AML1*
96-02	G3500 16" 8 lug dual wheel van	GDG92	GQ64	QC160A**		SLU168	AP3/AP4	AML1*
71-95	G30/P30 16" 8 lug dual wheel van		GQ64	QC160A**		SLU168	AP3/AP4	
75-03	P30 Van/motorhome 19.5" 5 Lug Front 10 lug Rear	NG961		QC1019			AP3/AP4	AML1*
85-C	16" 6 lug dual wheel 1 Piece Wheels Isuzu Cabover	N6664						AMM2
85-C	16" 6 lug dual wheel 2 Piece Wheels Isuzu Cabover	N6670						AMM2
84-C	17.5" 6 lug dual Isuzu Cabover	N6670						AMM2
99-C	19.5" 6 lug - Wheels Isuzu Cabover	N6681		QC1019 (will not fit gas with Accuride wheel)				AMM2*

Chevrolet/GMC (cont.)

Dodge/RAM

Year	MODEL	DOTLiner®	QuickLiner®	QuickCover®	Custom Liner®	Uni-Liner®	AirPlus®	AirMax®
94-02	2500 2WD/4WD 16" 8 lug single wheel		GQST60	QC160A**				
85-93	350 2WD 16" 8 lug single wheel		GQST60	QC160A**				
85-93	350 4WD 16" 8 lug single wheel		GQST60					
85-C	2500/3500 16" 8 lug single wheel van		GQST60	QC160A**				
03-18	3500 17" 8 lug dual wheel		QL74		SLD1703		AP3/AP4	
19-C	3500 17" 8 lug dual wheel	ND1719 (coming soon)	QL74				AP3/AP4	AML3
99-02	3500 2WD/4WD 16" 8 lug dual wheel	ND20	GQ64	QC160A**		SLU168	AP3/AP4	AML1*
94-98	3500 2WD/4WD 16" 8 lug dual wheel	GD816	GQ64	QC160A**		SLU168	AP3/AP4	AML1*
70-93	3500 2WD 16" 8 lug dual wheel	ND64	GQ64**	QC160A**		SLU168	AP3/AP4	AML1*
70-93	3500 4WD 16" 8 lug dual wheel Truck		GQ64				AP3/AP4	

* AirMax® only fits DOTLiner® / ** Will not fit BUDD brand wheels



Phoenix[™] USA, Inc. Phone 931.526.6128 · Fax 931.526.1795

Dodge/RAM (cont.)

67-90	3500 2WD 16.5" 8 lug dual wheel	ND64			SLU168	AP3/AP4	AML1*
08-C	4500/5500 19.5" 10 lug 2WD/4WD Truck	ND1912				AP3/AP6	AML2*
08-10	Sterling Bullet Truck 19.5" 10 Lug	ND1912				AP3/AP6	AML2*
03-06	Sprinter 15" 6 lug dual wheel	NFS156					AML1*
06-C	Sprinter 16" 6 lug dual wheel		QS16				

Ford

Year	MODEL	DOTLiner®	QuickLiner®	QuickCover®	Uni-Liner®	AirPlus®	AirMax®
92-C	E250/E350 2WD 16" 8 lug single wheel van	NSF921		QC160A**			
85-91	E250/E350 2WD 16" 8 lug single wheel van			QC160A**			
07-C	E350/E450 17" 4WD dual wheel 8 lug Quigley conversion	NFQ17					
08-C	E350/E450 16" 8 lug dual wheel van 4 Oval Hand Hole	NF12	GQ64	QC160A**	SLU168	AP3/AP4	AML1*
92-07	E350/E450 16" 8 lug dual wheel van 8 Round Hand Hole	NF98	GQ62	QC160A**		AP3/AP5	AML1*
85-91	E350 16" 8 lug dual wheel van	GD816	GQ64	QC160A**	SLU168	AP3/AP4	AML1*
2003	E550 19.5" 8 lug van	NF22		QC1019		AP3/AP4	AML2*
2002	E550 19.5" 8 lug van	NF19		QC1019		AP3/AP4	AML2*
17-C	F150 17" 6 lug 8 Hand Hole		QLSF17				
03-04	F250/F350 2WD/4WD 16" 8 lug single wheel		GQST60	QC160A**			
99-02	F250/F350 2WD/4WD 16" 8 lug single wheel		GQST60	QC160A**			
92-98	F250/F350 2WD 16" 8 lug single wheel	NSF921		QC160A**			
92-98	F250/F350 4WD 16" 8 lug single wheel	NSF941					
05-C	F350 2WD/4WD 17" 8 lug dual wheel	NF23	QL74***				AML2*
03-04	F350 2WD/4WD 16" 8 lug dual wheel	GDF16	GQ64	QC160A**		AP3/AP4	AML1*
99-02	F350 2WD/4WD 16" 8 lug dual wheel	GDF17	GQ64	QC160A**		AP3/AP4	AML1*
85-98	F350 2WD 16" 8 lug dual wheel	GD816	GQ64	QC160A**	SLU168	AP3/AP4	AML1*
85-98	F350 4WD 16" 8 lug dual wheel	GD816	GQ64			AP3/AP4	AML1*
69-84	F350 2WD 16" 8 lug dual wheel		GQ64**	QC160A**	SLU168	AP3/AP4	
73-90	F350 2WD 16.5" 8 lug dual wheel				SLU168	AP3/AP4	
88-98	F-Super Duty 2WD 16" 10 lug dual wheel	NF10		QC160A**		AP3/AP4	AML1*
05-C	F450/F550 2WD/4WD 19.5" 10 lug Wheel # 29884	NF25				AP3/AP6	AML2*
03-04	F450/F550 2WD/4WD 19.5" 8 lug	NF22		QC1019		AP3/AP6	AML2*
99-02	F450/F550 2WD/4WD 19.5" 8 lug	NF19		QC1019		AP3/AP6	AML2*
20-C	F600 19.5" x 6.75" 10 lug wheel	NF20	QC1019			AP3/AP6	AML2*
99-C	F53 Motorhome chassis 19.5" x 6.75" 10 lug	NF20		QC1019		AP3/AP6	AML2*
04-C	F650 19.5" 10 Lug Wheel # 29195 Air brake	NH5092		QC1019		AP3/AP6	AMH1*

* AirMax® only fits DOTLiner® / ** Will not fit BUDD brand wheels / *** Will not fit wheel #29837 w/square hand holes

Wheel Simulator Application Guide

Ford ((cont.)						
Year	MODEL	DOTLiner®	QuickLiner®	QuickCover [®]	Uni-Liner®	AirPlus®	AirMax®
04-C	F650 19.5" 8 lug - Wheel #28680 & 50180 Hydraulic brake	NH8495		QC1019		AP3/AP6	AMH1*
99-03	F650 19.5" 8 lug Wheel #28680	NH8494		QC1019		AP3/AP6	AMH1*
90-98	F600/F700 19.5" 8 lug Wheel #28680	NH8494		QC1019		AP3/AP6	AMH1*
2021	F600 19.5 x 6.75"" 10 lug Wheel	NF20					AMH1*
06-09	LCF Cabover 19.5" 10 lug	NF25				AP3/AP6	AML2*
15-C	Transit 16" 5 lug single rear wheel		QLST16				
15-C	Transit 2WD 16" 6 lug dual wheel	NF14					AML3
20-C	Transit AWD 16" 6 lug single wheel	NSF14					

Freightliner

Year	MODEL	DOTLiner®	QuickCover®	AirPlus®	AirMax®
96-01	FL50/FL60 19.5" 8 lug w/33mm hex lugnuts wheel #28680	NH8496	QC1019		AMH1*
92-96	FL50/FL60 19.5" 8 lug w/30mm hex lugnuts wheel #28680, 50180	NH8494	QC1019	AP3/AP4	AMH1*
94-C	FL60/FL70 19.5" 10 lug Wheel #29195	NH5092		AP3/AP4	AMH1*
02-C	M2 19.5" 8 lug	NH8495	QC1019	AP3/AP4	AMH1*
02-C	Motorhome & M2 19.5" 6 lug, 2 Hand Hole		QC1019		
03-06	Sprinter 15" 6 lug dual wheel	NFS156			AML1*
06-C	Sprinter 16" 6 lug dual wheel		QS16		

Hino

Year	MODEL/ Description	DOTLiner®	QuickCover®	AirPlus®	AirMax®
90-10	16" 6 lug dual wheel, 1-Piece Wheel Cabover	N6664			AMM2
90-10	16" 6 lug dual wheel, 2-Piece Wheel Cabover	N6670			AMM2
90-C	17.5" 6 lug dual wheel Cabover	N6670			AMM2
04-10	165/185 19.5" 8 lug	NF19	QC1019	AP3/AP6	AML2*
04-C	258 19.5" 8 lug - Hydraulic brake Wheel #50180, 28680	NH8495	QC1019	AP3/AP4	AMH1*
04-C	258A 19.5" 10 lug - Wheel #29195 Air brake	NH5092	QC1019	AP3/AP4	AMH1*
90-12	19.5" 6 lug dual wheel Cabover	N6681	QC1019		AMM2
13-C	19.5" 6 lug dual wheel Cabover	N6695			AMM2

International/Navistar

Year	MODEL	DOTLiner®	QuickCover®	AirPlus®	AirMax®
90-C	4300/4600/4700 19.5" 8 lug Wheel #28680, 50180	NH8495	QC1019	AP3/AP4	AMH1*
92-C	4300/4600/4700 19.5" 10 lug Wheel #29195	NH5092	QC1019	AP3/AP4	AMH1*
80-97	4600/4700 19.5" 6 lug		QC1019		
06-09	CF500/CF600 Cabover 19.5" 10 lug	NF25			AML2*
11-15	TerraStar 19.5" 10 lug Wheel #29884	NF25			AML2*

* AirMax[®] only fits DOTLiner[®] / ** Will not fit BUDD brand wheels



Phoenix[™] USA, Inc. Phone 931.526.6128 · Fax 931.526.1795

lsuzu

Year	MODEL/ Description	DOTLiner®	QuickCover®	AirPlus®	AirMax®
85-C	16" 6 lug dual wheel, 1-Piece Wheel Cabover	N6664			AMM2
85-C	16" 6 lug dual wheel, 2-Piece Wheel Cabover	N6670			AMM2
84-C	17.5" 6 lug dual wheel Cabover	N6670			AMM2
99-C	19.5" 6 lug Cabover	N6681	QC1019 (will not fit gas/ Accuride wheels)		AMM2*

Mitsubishi

Year	MODEL/ Description	DOTLiner®	QuickCover®	Custom Liner®	AirMax®
11-C	16" 5 lug dual wheel Cabover	N6559			AMM2
90-10	16" 6 lug dual wheel Cabover	N6664			AMM2
94-C	17.5" 6 lug dual wheel Cabover	N6670			AMM2
ALL	22.5" 8 or 10 lug dual wheel		QC1030		

UD/Nissan

Year	MODEL	DOTLiner®	QuickCover®	Custom Liner®	AirMax®
94-C	16" 6 lug dual wheel, 1-Piece Wheel Cabover	N6664			AMM2
90-C	16" 6 lug dual wheel, 2-Piece Wheel Cabover	N6670			AMM2
84-C	17.5" 6 lug dual wheel Cabover	N6670			AMM2
ALL	19.5" 6 lug 6 handhole Cabover	N6695			AMM2*

22.5" Wheels

Wheel #	Description	DOTLiner®	QuickCover®	AirPlus®	AirMax®
27403N	22.5" x 7.50" 10 lug Stud Pilot, 2 Hand Hole Front Axle	N252F	QC1025F		
	Rear Axle	N252R	QC1030R	AP3/AP4	AMH1*
	Full Set	N252	QC1030	AP3/AP4	AMH1*
27404N	22.5" x 8.25" 10 lug Stud Pilot, 2 Hand Hole Front Axle	N252F	QC1025F		
	Rear Axle	N252R	QC1030R	AP3/AP4	AMH1*
	Full Set	N252	QC1030	AP3/AP4	AMH1*
27685N	22.5" x 7.50" 10 lug Stud Pilot, 5 Hand Hole Front Axle	N552F	QC1025F		
	Rear Axle	N552R	QC1030R	AP3/AP4	AMH1*
	Full Set	N552	QC1030	AP3/AP4	AMH1*
27686NZ	22.5" x 8.25" 10 lug Stud Pilot, 5 Hand Hole Front Axle	N552F	QC1025F		
	Rear Axle	N552R	QC1030R	AP3/AP4	AMH1*
	Full Set	N552	QC1030	AP3/AP4	AMH1*
27833N	22.5" x 8.25" 10 lug Stud Pilot, 5 Hand Hole Front Axle	N552F	QC1025F		
	Rear Axle	N552R	QC1030R	AP3/AP4	AMH1*
	Full Set	N552	QC1030	AP3/AP4	AMH1*
27834N	22.5" x 8.25" 10 lug Hub Pilot, 5 Hand Hole Front Axle Set	NH552F	QC1025F		
	Rear Axle	NH552R	QC1030R	AP3/AP4	AMH1*
	Full Set	NH552	QC1030	AP3/AP4	AMH1*

Wheel Simulator Application Guide

22.5" Wheels (cont.)

Wheel #	Description	DOTLiner®	QuickCover®	AirPlus®	AirMax®
27835N		NH252F	QC1025F	Airrius	Airwia
270301	22.5" x 8.25" 10 lug Hub Pilot, 2 Hand Hole Front Axle Set	NH252F	QC1025F	AD2/AD4	AMH1*
	Rear Axle Full Set	NH252		AP3/AP4 AP3/AP4	
00110		INFI202	QC1030	AP3/AP4	AMH1*
28118	22.5" x 12.25" 10 lug, No Hand Hole 11.25" BC		QC1025F		
28120	22.5" x 12.25" 10 lug, No Hand Hole 11.25" BC		QC1025F		
28126	22.5" x 12.25" 10 lug, No Hand Hole 11.25" BC		QC1025F		
28128	22.5" x 13.00" 10 lug, No Hand Hole 11.25" BC		QC1025F		
28132	22.5" x 12.25" 10 lug, No Hand Hole 11.25" BC		QC1025F		
28157	22.5" x 6.75" 6 lug Stud Pilot, 6 Hand Hole		QC1030		
28160	22.5" x 6.75" 10 lug Stud Pilot, 5 Hand Hole Front Axle		QC1025F		
	Rear Axle		QC1030R		
	Full Set		QC1030		
28165	22.5" x 12.25" 10 lug, No Hand Hole 11.25" BC		QC1025F		
28169	22.5" x 13.00" 10 lug, No Hand Hole 11.25" BC		QC1025F		
28192	22.5" x 9.00" 10 lug, No Hand Hole 11.25" BC		QC1025F		
28408	22.5" x 8.25" 10 lug Hub Pilot, 2 Hand Hole Front Axle Set	NH252F	QC1025F		
	Rear Axle	NH252R	QC1030R	AP3/AP4	AMH1*
	Full Set	NH252	QC1030	AP3/AP4	AMH1*
28415N	22.5" x 7.50" 8 lug, 4 Hand Hole Front Axle Set		QC1025F		
	Rear Axle		QC1030R		
	Full Set		QC1030		
28476	22.5" x 8.25" 10 lug Stud Pilot, 5 Hand Hole Front Axle	N552F	QC1025F		
	Rear Axle	N552R	QC1030R	AP3/AP4	AMH1*
	Full Set	N552	QC1030	AP3/AP4	AMH1*
28484	22.5" x 8.25" 8 lug, 4 Hand Hole Front Axle Set		QC1025F		
	Rear Axle		QC1030R		
	Full Set		QC1030		
28487	22.5" x 8.25" 10 lug Hub Pilot, 5 Hand Hole Front Axle Set	NH552F	QC1025F		
	Rear Axle	NH552R	QC1030R	AP3/AP4	AMH1*
	Full Set	NH552	QC1030	AP3/AP4	AMH1*
28510	22.5" x 9.00" 10 lug Stud Pilot, 2 Hand Hole Front Axle	N252F	QC1025F		
	Rear Axle	N259R	QC1030R		AMH1*
	Full Set	N259	QC1030		AMH1*
28542	22.5" x 9.00" 10 lug Hub Pilot, 2 Hand Hole Front Axle Set	NH252F	QC1025F		AMH1*
	Rear Axle	NH259R	QC1030R		AMH1*
	Full Set	NH259	QC1030R		AMH1*
28549	22.5" x 8.25" 10 lug Stud Pilot, 2 Hand Hole Front Axle	N252F	QC1025F		AMH1*
	Rear Axle	N252R	QC1030R	AP3/AP4	AMH1*
	Full Set	N252	QC1030	AP3/AP4	AMH1*

Phoenix[™] USA, Inc. Phone 931.526.6128 · Fax 931.526.1795

* AirMax® only fits DOTLiner® / ** Will not fit BUDD brand wheels



22.5" Wheels (cont.)

Wheel #	Description	DOTLiner®	QuickCover®	AirPlus®	AirMax®
28624	22.5" x 12.25" 10 lug, 2 Hand Hole 285.75MM BC		QC1025F		
28624N	22.5" x 7.50" 10 lug Hub Pilot, 2 Hand Hole Front Axle Set	NH252F	QC1025F		
	Rear Axle	NH252R	QC1030R	AP3/AP4	AMH1*
	Full Set	NH252	QC1030	AP3/AP4	AMH1*
28684	22.5" x 13.00" 10 lug, No Hand Hole 11.25" BC		QC1025F		
28803	22.5" x 12.25" 10 lug, No Hand Hole 285.75MM BC	İ	QC1025F		
28828	22.5" x 8.25" 10 lug Hub Pilot, 2 Hand Hole Front Axle Set	NH252F	QC1025F		
	Rear Axle	NH252R	QC1030R	AP3/AP4	AMH1*
	Full Set	NH252	QC1030	AP3/AP4	AMH1*
28842	22.5" x 9.00" 10 lug Hub Pilot, 5 Hand Hole Front Axle Set	NH552F	QC1025F		
	Rear Axle	NH5259R	QC1030R		AMH1*
	Full Set	NH5259	QC1030		AMH1*
28869	22.5" x 6.75" 8 lug, 4 Hand Hole Front Axle Set		QC1025F		
	Rear Axle		QC1030R		
	Full Set		QC1030		
28889	22.5" x 12.25" 10 lug, No Hand Hole 11.25" BC		QC1025F		
29001	22.5" x 7.50" 10 lug Hub Pilot, 5 Hand Hole Front Axle Set	NH552F	QC1025F		
	Rear Axle	NH552R	QC1030R	AP3/AP4	AMH1*
	Full Set	NH552	QC1030	AP3/AP4	AMH1*
29028	22.5" x 7.50" 8 lug, 4 Hand Hole Front Axle Set		QC1025F		
	Rear Axle		QC1030R		
	Full Set		QC1030		
29039	22.5" x 9.00" 10 lug, 5 Hand Hole 285.75MM BC		QC1025F		
29054	22.5" x 12.25" 10 lug, No Hand Hole 285.75MM BC		QC1025F		
29056	22.5" x 12.25" 10 lug, 5 Hand Hole 285.75MM BC		QC1025F		
29057	22.5" x 13.00" 10 lug, No Hand Hole 285.75MM BC		QC1025F		
29058	22.5" x 13.00" 10 lug, 5 Hand Hole 285.75MM BC		QC1025F		
29146	22.5" x 13.00" 10 lug, 5 Hand Hole 285.75MM BC		QC1025F		
29147	22.5" x 12.25" 10 lug, 5 Hand Hole 285.75MM BC		QC1025F		
29174	22.5" x 13.00" 10 lug, 5 Hand Hole 285.75MM BC		QC1025F		
29183	22.5" x 12.25" 10 lug, 2 Hand Hole 11.25" BC		QC1025F		
29218	22.5" x 12.25" 10 lug, 2 Hand Hole 11.25" BC		QC1025F		
29220	22.5" x 12.25" 10 lug, 2 Hand Hole 11.25" BC		QC1025F		
29221	22.5" x 12.25" 10 lug 2 Hand Hole 11.25" BC		QC1025F		
29300	22.5" x 9.00" 10 lug Hub Pilot, 5 Hand Hole Front Axle Set	NH552F	QC1025F		
	Rear Axle	NH5259R	QC1030R		AMH1*
	Full Set	NH5259	QC1030		AMH1*
29301	22.5" x 13.00" 10 lug, 2 Hand Hole 11.25" BC		QC1025F		
29303	22.5" x 13.00" 10 lug, 5 Hand Hole 285.75MM BC		QC1025F		

* AirMax[®] only fits DOTLiner[®] / ** Will not fit BUDD brand wheels

Wheel Simulator Application Guide

22.5" Wheels	s (cont.)	

50408	22.5" x 8.25" 10 lug Hub Pilot, 2 Hand Hole Front Axle Set	NH252F	QC1025F		
	Rear Axle	NH259R	QC1030R		AMH1*
	Full Set	NH259	QC1030		AMH1*
Wheel #	Description	DOTLiner®	QuickCover®	AirPlus®	AirMax®
50487	22.5" x 8.25" 10 lug Hub Pilot, 5 Hand Hole Front Axle Set	NH552F	QC1025F		
	Rear Axle	NH5259R	QC1030R		AMH1*
	Full Set	NH5259	QC1030		AMH1*
87893E	22.5" x 7.50" 10 lug Stud Pilot, 2 Hand Hole Front Axle Set	N252F	QC1025F		
	Rear Axle	N252R	QC1030R	AP3/AP4	AMH1*
	Full Set	N252	QC1030	AP3/AP4	AMH1*
87904E	22.5" x 8.25" 10 lug Stud Pilot, 5 Hand Hole Front Axle Set	N552F	QC1025F		
	Rear Axle	N552R	QC1030R	AP3/AP4	AMH1*
	Full Set	N552	QC1030	AP3/AP4	AMH1*
87905E	22.5" x 8.25" 10 lug Stud Pilot, 2 Hand Hole Front Axle Set	N252F	QC1025F		
	Rear Axle	N252R	QC1030R	AP3/AP4	AMH1*
	Full Set	N252	QC1030	AP3/AP4	AMH1*
87934E	22.5" x 8.25" 10 lug Stud Pilot, 5 Hand Hole Front Axle Set	N552F	QC1025F		
	Rear Axle	N552R	QC1030R	AP3/AP4	AMH1*
	Full Set	N552	QC1030	AP3/AP4	AMH1*
88884E	22.5" x 8.25" 8 lug, 4 Hand Hole Front Axle Set		QC1025F		
	Rear Axle		QC1030R		
	Full Set		QC1030		
89920E	22.5" x 8.25" 8 lug, 4 Hand Hole Front Axle Set		QC1025F		
	Rear Axle		QC1030R		
	Full Set		QC1030		
89921E	22.5" x 8.25" 10 lug Stud Pilot, 2 Hand Hole Front Axle Set	N252F	QC1025F		
	Rear Axle	N252R	QC1030R	AP3/AP4	AMH1*
	Full Set	N252	QC1030	AP3/AP4	AMH1'
90541E	22.5" x 8.25" 10 lug Hub Pilot, 2 Hand Hole Front Axle Set	NH252F	QC1025F		
	Rear Axle	NH252R	QC1030R	AP3/AP4	AMH1*
	Full Set	NH252	QC1030	AP3/AP4	AMH1*
90614E	22.5" x 7.50" 8 lug, 4 Hand Hole Front Axle Set		QC1025F		
	Rear Axle		QC1030R		
	Full Set		QC1030		
90631E	22.5" x 7.50" 10 lug Hub Pilot, 2 Hand Hole Front Axle Set	NH252F	QC1025F		
	Rear Axle	NH252R	QC1030R	AP3/AP4	AMH1'
	Full Set	NH252	QC1030	AP3/AP4	AMH1'
100-8901	22.5" x 8.25" 10 lug Stud Pilot, 2 Hand Hole Front Axle Set	N252F	QC1025F		
	Rear Axle	N252R	QC1030R	AP3/AP4	AMH1*
	Full Set	N252	QC1030	AP3/AP4	AMH1*

* AirMax $^{\scriptscriptstyle \otimes}$ only fits DOTLiner $^{\scriptscriptstyle \otimes}$ / ** Will not fit BUDD brand wheels



22.5" Wheels (cont.)

Wheel #	Description	DOTLiner®	QuickCover®	AirPlus®	AirMax®
100-8910	22.5" x 8.25" 10 lug Hub Pilot, 2 Hand Hole Front Axle Set	NH252F	QC1025F		
	Rear Axle	NH252R	QC1030R	AP3/AP4	AMH1*
	Full Set	NH252	QC1030	AP3/AP4	AMH1*
100-9207	22.5" x 8.25" 10 lug Stud Pilot, 2 Hand Hole Front Axle Set	N252F	QC1025F		
	Rear Axle	N252R	QC1030R	AP3/AP4	AMH1*
	Full Set	N252	QC1030	AP3/AP4	AMH1*
R87460	22.5" x 8.25" 10 lug Stud Pilot, 2 Hand Hole Front Axle Set	N252F	QC1025F		
	Rear Axle	N252R	QC1030R	AP3/AP4	AMH1*
	Full Set	N252	QC1030	AP3/AP4	AMH1*
R87540	22.5" x 7.50" 10 lug Stud Pilot, 2 Hand Hole Front Axle Set	N252F	QC1025F		
	Rear Axle	N252R	QC1030R	AP3/AP4	AMH1*
	Full Set	N252	QC1030	AP3/AP4	AMH1*
R93590	22.5" x 8.25" 10 lug Hub Pilot, 2 Hand Hole Front Axle Set	NH252F	QC1025F		
	Rear Axle	NH252R	QC1030R	AP3/AP4	AMH1*
	Full Set	NH252	QC1030	AP3/AP4	AMH1*
R93790	22.5" x 7.50" 10 lug Hub Pilot, 2 Hand Hole Front Axle Set	NH252F	QC1025F		
	Rear Axle	NH252R	QC1030R	AP3/AP4	AMH1*
	Full Set	NH252	QC1030	AP3/AP4	AMH1*

Trailer Simulators

MODEL	DOTLiner®	QuickLiner®	QuickCover®	AirPlus®	AirMax®
15" 5 lug or 6 lug single wheel	NST15	GQST50			
16" x 6" 8 lug single wheel w/ 1/2" & 9/16" studs	NST06	GQST60	QC160A**		
16.5" x 6.75" 8 lug single wheel w/ 1/2" & 9/16" studs	NST06				
16" 8 lug dual wheel w/ 5/8" studs	NDT165	GQT60**	QC160A**	AP3/AP4	AML1*
16.5" 8 lug dual wheel w/ 5/8" studs	NDT165			AP3/AP4	AML1*
17.5" x 6.75" single wheel w/ 5/8" studs	GDST175		QCT175		
17.5" x 6.00" single wheel w/ 5/8" studs Armstrong wheels			QCT175		
17.5" x 8.25" single wheel w/ 5/8" studs			QCT175		
17.5" 6 lug dual wheel, 2 Hand Hole			QCT175		
17.5" 8 lug dual wheel, 4 Hand Hole			QCT175		
17.5" 10 lug dual wheel, 2 Hand Hole			QCT175		

* AirMax® only fits DOTLiner® / ** Will not fit BUDD brand wheels

ALCOA Aluminim Wheels



Ford

16AL	'85-C	E350 & E450 van dual wheel 16" 8 lug w/Alcoa access.	
	'85-'98	F350 dual wheel 16" 8 lug w/Alcoa accessories	
9510ABS	'05-'16	F450-F550 19.5" 10 lug w/ABS chrome accessories	
17ABS	'17-C	F450-F550 19.5" 10 lug w/ABS chrome accessories	
95833SS	'04-C	F650 19.5" 8 lug w/stainless QuickTrim® accessories	
958822	'04-C	F650 19.5" 8 lug w/ABS chrome accessories	
9510-33SS	'90-C	F600 & F650 19.5" 10 lug w/ss QuickTrim® accessories	
9510-33SSQ	'90-C	F600 & F650 19.5" 10 lug w/ABS chrome accessories	

Freightliner / Inter	rnationa	al / Hino / Dodge
AL195833SS		19.5" 8 lug on 275mm B.C. w/33mm hex lugnuts w/stainless QuickTrim® accessories
AL1958822		19.5" 8 lug on 275mm B.C. w/33mm hex lugnuts w/ABS chrome accessories
AL19510-33SS		19.5" 10 lug on 285mm B.C. w/33mm hex lugnuts w/stainless QuickTrim® accessories
AL19510-33SSQ		19.5" 10 lug on 285mm B.C. w/33mm hex lugnuts w/ABS chrome accessories
AD08ABS	'08-'11	Dodge/Ram 4500/5500 19.5" 10 lug on 225mm B.C. w/ABS chrome accessories
AD12ABS	'12-C	Dodge/Ram 4500/5500 19.5" 10 lug on 225mm B.C. w/ABS chrome accessories
Alcoa Hub Cover	S	



3167	4.70" Push-thru cover used w/167041 wheel
3611	8" on 6.5" front dually cover w/medallion
3612	8" on 6.5" rear dually cover w/medallion

ALCOA Mounting Hardware



Two-Piece Flange Nuts for ALCOA Single & Dual Hub-Piloted Wheels

139987

1 1/16" hex - 9/16" x 18 RH threads Mounts single and dual-piloted wheels.

39946

1 1/16" hex - 5/8" x 18 RH threads Used with 661401 trailer wheels.

PH3324

22mm hex - 9/16" I.D. lugnut Used with '08-'11 Dodge/Ram 4500/5500.

PH4327

22mm hex - 14mm I.D. lugnut Used with '12-C Dodge/Ram 4500/5500.

ALCOA Chrome Plated ABS Lugnut Covers



78 Size: 7/8" / H=2.125"

79 Size: 7/8" / H=1.515" **190** Size: 1 1/16" / H=1.5"



Phoenix[™] USA, Inc. Phone 931.526.6128 · Fax 931.526.1795

QuickTrim

Hub Covers for Aluminum Wheels

- No lugnut removal is required for installation.
- Our Ford hub covers offer a pop-out front for manual hubs.
- Our Lo-Pro hub covers offer pop-outs in front and rear for easy hub inspection.

See p.8-9 for available replacement air hoses.

Q820F



Lo-Pro with 30mm lugnuts 19.5" 8 lug on 275mm BC (front - sold as single) Q820R

0822R



Lo-Pro with 30mm lugnuts 19.5" 8 lug on 275mm BC (rear - sold as single)

Q822F



Lo-Pro with 33mm lugnuts 19.5" 8 lug on 275mm BC (front - sold as single)

Application includes: 2019-C Chevrolet 4500/5500 2WD and International CV



Lo-Pro with 33mm lugnuts 19.5" 8 lug on 275mm BC (rear - sold as single)

Application includes: 2019-C Chevrolet 4500/5500 2WD and International CV

QH1002F



'05-'16 F450 - F550 19.5" 10 lug Ford Super Duty (front - sold as single))

QH1002R



'05-'16 F450 - F550 19.5" 10 lug Ford Super Duty (rear- sold as single)

QH2001F



'17-C F450 - F550 19.5"10 lug Ford Super Duty(front - sold as single)

QH2001R



'17-C F450 - F550 19.5"10 lug Ford Super Duty(rear - sold as single)

QuickTrim® Wheel Accessories





Phoenix[™] USA, Inc. Phone 931.526.6128 · Fax 931.526.1795

QuickTrim

Polished Stainless Steel Hub Covers for Steel and Aluminum Wheels

- No lugnut removal is required for installation (unless noted).
- Available in three styles.
- For use with all brands of aluminum wheels

Medium Duty Hub Covers

CENTER

Medium Duty hub covers feature exclusive bolt-on mounting bracket.

HUB

Medium duty trucks - approx. 6.25" axle end cap diameter

Front Under-lug



C023SS 8 lug on 275mm BC (requires lugnut removal)

Hub diameter

measurement

Rear Under-lug



CO33SS 8 lug on 275mm BC

(requires lugnut removal)

Clip-Mount (Rear)



Q938

Heavy trucks w/ 8 lug Wheels 8.25" hub diameter

Q247 Heavy trucks w/ 10 lug Wheels 8.25" hub diameter (3 spring clip attachment w/pop out)



Heavy Duty Rear Hub Covers

Our patented QuickClips make installation quick, simple and secure.

Heavy duty trucks approx. 8.25" axle end cap diameter; 3.5"-5" hub protrusion from wheel face required Hub diameter measurement

Hex-bolt Center (Rear)



Note: mounting for all requires removal and reinstallation of two axle nuts.

Q1009

SLIDE ON HUB COVER

> Medium trucks w/ 8 lug on 275mm BC Wheels 2.88" hex bolt length 6.25" hub diameter

Q1010

Medium trucks w/ 8 lug on 275mm BC Wheels Wheels 3.5" hex bolt length 6.25" hub diameter

Q1020

Heavy trucks w/ 8 lug on 275mm BC Wheels Wheels 2.88" hex bolt length 8.25" hub diameter

Q2010

Medium trucks w/ 10 lug on 275mm BC Wheels Wheels 2.88" hex bolt length 6.25" hub diameter

Q2020

Heavy trucks w/ 10 lug on 275mm BC Wheels Wheels 2.88" hex bolt length 8.25" hub diameter

Hex bolt tool

PH1763TOLK

For use with hexbolt center rear and baby moon front hub covers

QuickTrim® Wheel Accessories

Polished Stainless Steel Lugnut Covers



Heavy Duty Front Hub Covers

QuickTrim

Hub Covers for Trailers

- ABS hub covers
- Made from temperature-stable plastic for years of durable service
- Available in 5-, 6-, and 8-lug applications in either white, black or chrome

White ABS Hub Covers



QT545WHS 5 lug on 4.5" BC 1 5/8" emblem indent

QT655WHN 6 lug on 5.5" BC 2.75" emblem indent

Black ABS Hub Covers



OT545BHS 5 lug on 4.5" BC 1 5/8" emblem indent

QT655BHN 6 lug on 5.5" BC 2.75" emblem indent

QT765BHN 8 lug on 6.5" BC (7K axle) with 13/16" lugnut hex 2.75" emblem indent

Lugnut for Aluminum Wheel Applications



PQT50LNAD

1/2" trailer lugnut Custom-made lugnut designed for aluminum wheel applications. External notches provide multiple hub cover mounting points.

Chrome ABS Hub Covers



QT545CHN 5 lug on 4.5" BC

2.75" emblem indent

QT545CHS

5 lug on 4.5" BC 1 5/8" emblem indent



QT545CH4 5 lug on 4.5" BC

2.75" emblem indent 13/16" hex lugnuts

QT550CH4

5 lug on 5" BC with 2.75" emblem indent



6 lug on 5.5" BC 2.75" emblem indent



QT765CHN 8 lug on 6.5" BC (7K axle) with 13/16" lugnut hex

QT865CHN

8 lug on 6.5" BC (8K axle) with 7/8" lugnut hex 2.75" emblem indent 2.75" emblem indent

QT965CHN

8 lug on 6.5" BC (9K-10K axle) with 1 1/16" hex lugnut pop-out center with 2.75" emblem indent Includes three ribbed attachment nuts per hub cover

Chrome ABS Trim Rings



1403 14" trim rings (set of 4)

1503

15" trim rings (set of 4)

1603

16" trim rings (set of 4)

QuickTrim® Wheel Accessories

Chrome ABS Wheel Covers



Stainless Steel Baby Moon



ABS wheel covers installed with QuickTrim[®] hub covers give the look of aluminum wheels while maintaining the strength of the factory steel wheel.

QT544CL0

14" chrome ABS 5 lug on 4.5" BC (use with QT545CHS, QT545CHN & QT545CH4)

QT545CL0

15" chrome ABS 5 lug on 4.5" BC (use with QT545CHS, QT545CHN & QT545CH4)

QT655CL0

15" chrome ABS 6 lug on 5.5" BC 5 lug on 5" BC (*use with QT655CHN & QT550CH4*)

QT6556CL0

16" chrome ABS 6 lug on 5.5" BC (use with QT655CHN)

QT865CL0

16" chrome ABS 8 lug on 6.5" BC (use with QT765CHN, QT865CHN)

1307SS

Polished stainless steel Applications include, but are not limited to: • 5 on 4.5" bolt circle

- 6 on 5.5" bolt circle
- 13", 14" & 15" diameter conventional wheels

1309SS

Polished stainless steel Applications include, but are not limited to:

- 6 on 5.5" bolt circle
- 8 on 6.5" bolt circle
- 16" diameter conventional wheels



Phoenix[™] USA, Inc. Phone 931.526.6128 · Fax 931.526.1795



Phoenix[™] USA, Inc. Phone 931.526.6128 · Fax 931.526.1795

QuickTrim

Wheel Covers for Golf Carts & Mowers

- Stainless steel and ABS covers
- All utilize easy, one-piece snap on design.
- Some designs also fit tow dolly wheels.

Stainless Steel Golf Cart/Mower Wheel Covers



R2512

8" stainless steel baby moon Fits tow dolly wheels as well as many standard golf cart wheels.

Chrome ABS Golf Cart/Mower Wheel Covers



Beadlock Style ABS QT12CHB 12", 8 hole

Fits most standard mower rear wheels, spring clip retention.

QT10CHB

10", 8 hole Fits most standard mower rear wheels, spring clip retention.

QT8CHB

8", 8 hole Fits most standard mower rear wheels, spring clip retention.

QT6CHBH

6", 8 hole Open 60mm hub for front ZR caster wheels





5-spoke Mag Style ABS QT8CHM

8", 5-spoke Fits most standard mower rear wheels, spring clip retention.

QT6CHM

6", 5-spoke Fits most standard mower rear wheels, spring clip retention.

Sawblade Style ABS **QT8CH** 8"

Fits tow dolly wheels as well as many standard golf cart wheels.

Other products for the landscaping industry:

Trimmer Storage & Security Rack

SPDDTR3

- Installed: 42"W x 53"H x 4"D
- Prevents scratching, denting and rotation during transport.
- Robust lockout & security plate prevents tampering.
- Bright green color increases visibility for safety.
- Powdercoat finish & stainless steel latches help resist elements.
- Locking plate allows one lock to secure all three tools.
- Remove one tool from any of the three positions without releasing others.



Toolboxes

STMD



Mounting brackets not included - see page 33.

Black Powder Coated Steel Toolbox

- 13 gauge steel construction
- Stainless steel hardware
- T-style, single-point latch
- Automotive bulb seal

STMD24

24" L x 18" D x 18" H Door Opening: 19" L x 14" H Weight: 66 lbs.

STMD30

30" L x 18" D x 18" H Door Opening: 25" L x 14" H Weight: 76 lbs.

36" L x 18" D x 18" H Door Opening: 31" L x 14" H Weight: 88 lbs.

STMD48

48" L x 18" D x 18" H Door Opening: 43" L x 14" H Weight: 111 lbs.

STMD60

60" L x 18" D x 18" H Door Opening: 55" L x 14" H Weight: 133 lbs.

STMD36

Mounting brackets not included - see page 33.

Stainless Steel Toolbox with Stainless Steel Door

- 13 gauge stainless steel construction
- Stainless steel hardware
- T-style, single-point latch (60" boxes = 3-point latch)
- Automotive bulb seal

Mirror Polished Stainless Steel Door

- Smooth, mirror-like finish
- Rolled top edge for increased rigidity
- No unsightly cross-breaks

SSTSD24

24" L x 18" D x 18" H Door Opening: 19" L x 14" H Door Opening: 31" L x 14" H Weight: 66 lbs.

SSTSD36 36" L x 18" D x 18" H

Weight: 88 lbs.

SSTSD30

30" L x 18" D x 18" H Door Opening: 25" L x 14" H Weight: 77 lbs.

Part #s ending in "A": Hansen Compression Latch

- 1.5mm stainless steel body
- Ergonomic twist-latch grip
- Single-point latch (60" boxes = 3-point latch)
- Compression latch creates tight seal
- Mount with "L" style brackets

SSTSD48A

48" L x 18" D x 18" H Door Opening: 43" L x 14" H Weight: 111 lbs.

60" L x 18" D x 18" H Door Opening: 55" L x 14" H Weight: 136 lbs.



SST3SD60A

- 27 -

SSTSD







STSD

Mounting brackets not included - see page 33.





Black Powder Coated Steel Toolbox with **Stainless Steel Door**

- 13 gauge stainless steel construction
- Stainless steel hardware
- Automotive bulb seal

Mirror Polished Stainless Steel Door

- Smooth, mirror-like finish
- Rolled top edge for increased rigidity
- No unsightly cross-breaks

Hansen Compression Latch

- Stainless steel construction
- Ergonomic twist-latch grip
- Single-point latch (60" boxes = 3-point latch)
- Compression latch creates tight seal

STSD24A

24" L x 18" D x 18" H Door Opening: 19" L x 14" H Weight: 66 lbs.

STSD30A

30" L x 18" D x 18" H Door Opening: 25" L x 14" H Door Opening: 55" L x 14" H Weight: 77 lbs.

STSD36A

36" L x 18" D x 18" H Door Opening: 31" L x 14" H Weight: 88 lbs.

Mounting brackets not included - see page 33.

STSD48A

Weight: 111 lbs.

Weight: 136 lbs.

ST3SD60A

48" L x 18" D x 18" H

60" L x 18" D x 18" H

Door Opening: 43" L x 14" H

Slider Box

- Slide-away door helps keep operators at a safer distance from traffic
- 13 gauge steel construction
- High-gloss automotive powdercoat finish
- Stainless steel hardware
- Automotive bulb seal

Mirror Polished Stainless Steel Door

- Smooth, mirror-like finish
- Paddle-style latch
- No unslightly cross-breaks

SUSS48

48" L x 20" D x 21" H Weight: 110 lbs.







Toolboxes

STMRD/ST3MRD



ST3MRD48

ST3MRD60

Weight: 137 lbs.

60" L x 18" D x 18" H

Mounting brackets not included - see page 33.

Black Powder Coated Steel Toolbox

High-gloss automotive powdercoat finish

• T-style, single-point latch (≥30" boxes = 3-point latch)

Door has rolled top edge for increased rigidity

13 gauge steel construction

Stainless steel hardware

No unslightly cross-breaks

Automotive bulb seal

24" L x 18" D x 18" H

48" L x 18" D x 18" H Door Opening: 43" L x 14" H Weight: 120 lbs.

Door Opening: 55" L x 14" H

Weight: 57 lbs.

STMRD24

30" L x 18" D x 18" H Door Opening: 25" L x 14" H Weight: 81 lbs.

Door Opening: 19" L x 14" H

ST3MRD36

36" L x 18" D x 18" H Door Opening: 31" L x 14" H Weight: 93 lbs.

Mounting brackets not included - see page 33.

78" Toolbox with Two Stainless Steel Doors

- Can be top or underbody mounted
- 13 gauge steel construction
- High-gloss automotive powdercoat finish
- Stainless steel hardware
- Automotive bulb seal

Mirror Polished Stainless Steel Doors

- Smooth, mirror-like finish
- Integrated, quick-release gutter door design
- Polished stainless steel scissor straps that can be unhooked to drop doors 180°
- Hansen compression latch

STTB78A

78" L x 20" D x 21" H Door Opening: 34" L x 17" H Weight: 209 lbs.

Mounting brackets not included - see page 33.

ASBDD30

ASBDD36

30" W x 25" H x 28" D

36" W x 25" H x 28" D

- Aluminum body
- 3-step (bottom to top: 5"D, 5"D, 12"D)
- Polished diamond plate door
- T-style, single-point latch/handle
- Stainless, hinged lock cover
- Serrated anti-slip channel on all three steps

ASBDD12

12" W x 25" H x 28" D

ASBDD18 18" W x 25" H x 28" D

ASBDD24

24" W x 25" H x 28" D





Phoenix[™] USA, Inc. Phone 931.526.6128 · Fax 931.526.1795

78" Tow Box



Step Box

Phoenix[™] USA, Inc. Phone 931.526.6128 · Fax 931.526.1795

Economy Toolbox





Phoenix Economy Toolbox

- Great features lower price
- Door constructed of 304 stainless steel
- Black powder-coated body
- Automotive grade bulb seal weather stripping
- Allegis Vector-2 T-handle latches

STSRD48

48" L x 18" D x 18" H Weight: 87 lbs.

STSRD60

60" L x 18" D x 18" H Door Opening: 43" W x 14" H Door Opening: 55" W x 14" H Weight: 104 lbs.

Cam Lock Toolbox NEW COR N 3 **Cam Lock Toolbox**

- 304 stainless steel construction
- Stainless steel hardware
- Trouble-free bar cam lock style latch
- Underbody or top mountable
- Doors swing outward from center, keeping the operator closer to vehicle when loading/unloading
- Easy access (no reaching over a fold-down door)

SSTSDB601818

60" L x 18" D x 18" H Door Opening: 55" W x 13" H Door Opening: 55" W x 19" H Weight: 106 lbs.

STSRD602424 60" L x 24" D x 24" H Weight: 143 lbs.

Toolboxes

3-Drawer 24" Toolboxes



Mounting brackets not included - see page 33.

3-Drawer 24" Toolbox with Stainless Steel Door

- 13 gauge steel construction
- Polished Stainless Steel door
- Top or underbody mount
- Scissor straps
- Two 3" deep drawers, One 6" deep drawer

STSD24D3A

Outside Dimensions: 24" L x 18" D x 18" H Weight: 98 lbs.



- 13 gauge steel construction
- Top or underbody mount
- Scissor straps
- Two 3" deep drawers, One 6" deep drawer

STMRD24D3

Outside Dimensions: 24" L x 18" D x 18" H Weight: 96 lbs.

2-Drawer Toolbox Insert



2-Drawer 24" Toolbox Insert

- Fits all Phoenix (and most competitor) boxes 36" or longer
- 13 gauge steel construction


(will NOT fit in 24" box)

TB2DK

Outside Dimensions: 24" L x 14" D x 13" H Weight: 47 lbs.

*48" toolbox not included






Adjustable Drawer Divider

- Add up to 12 compartments to a drawer
- 13 gauge steel construction
- Each panel = 19.5" x 12.82" x 3"
- Six interlocking notches per panel to adjust compartment sizes


TBP01DV







Heavy Duty Mesh Bottom Basket and Dress Plate



Underbody Mesh Drawer

Fender Basket



Mesh Bottom Basket

- Powdercoated
- · Solid sides with mesh bottom only

SUBMB36DP

SUBMB48DP

SUBMB60DP

dress plate

dress plate

dress plate

36" Mesh bottom basket

48" Mesh bottom basket

60" Mesh bottom basket

Solid metal construction

SUBMB36

Outside Dimensions: 36" L x 18" D x 18" H Weight: 48 lbs.

SUBMB48

Outside Dimensions: 48" L x 18" D x 18" H Weight: 58 lbs.

SUBMB60

Outside Dimensions: 60" L x 18" D x 18" H Weight: 90 lbs.

Mesh Bottom Basket Dress Plate

- Mirror polished stainless steel
- Grooved top edge and predrilled side holes for easy mounting (mounting screws included)
- Powdercoated, solid metal construction
- Auto-close latch
- Polished stainless fascia door
- Pull-out mesh basket
- 500 lb. working load limit
- Stainless rollers
- Holes on all sides of basket for easy strapping

SSUD30

Outside Dimensions: 30" L x 28.5" D x 18.5" H Inner Drawer Dimensions: 27" x 25.5" Weight: 105 lbs.

- Galvanized steel
- Solid sides with mesh bottom
- Mirror polished stainless steel side plate

BF36QF21L

Left side 21" wide fender Open top: 36"L x 18"W Bottom: 30"L x 18"W

BF48QF21L

Left side 21" wide fender Open top: 48"L x 18"W Bottom: 42"L x 18"W

BF36QF21R

Right side 21" wide fender Open top: 36"L x 18"W Bottom: 30"L x 18"W

BF48QF21R

Right side 21" wide fender Open top: 48"L x 18"W Bottom: 42"L x 18"W



Mesh Basket

- Galvanized steel construction
- Mesh sides and bottom
- Holds two five-gallon cans/buckets.

SUBM2B

MEASUREMENTS

Top Mount Storage Tray



Black Powdercoated Top Mount Storage Tray

- 13 gauge steel construction
- High-gloss automotive powdercoat finish
- Drain holes to keep water out of tray
- Space prepared for two optional oval stop/turn/ tail lights (see "Optional LED Lighting" below)
- Optional mounting clips (PH2967) allow secure storage while providing easy access.

Note: there is a 2" overhang on the back when used with any 18" D box.

SUTB36ST

36" L x 20" H x 4" D

SUTB48ST

48" L x 20" H x 4" D **Optional LED Top Mount Storage Tray** Lighting KIt

SUTB60ST 60" L x 20" H x 4" D

SUTB78ST 78" L x 20" H x 4" D

PL650VLALK

Amber 6.5" oval LED with grommet & pigtail

PL650VLRLK

Red 6.5" oval LED with grommet & pigtail

Stainless Steel Dress Plate

- Smooth, mirror-polished finish
- Dress up your storage tray or add to match stainless steel box applications

SUTB36DP 36"

SUTB48DP

48"

60"

SUTB78DP 78"

SUTB60DP





Phoenix[™] USA, Inc. Phone 931.526.6128 · Fax 931.526.1795

- 33 -



Top Mount Storage Tray Dress Plate



Mounting Clip



PH2967

Use to secure anything from tools to hoses. Recommended for use with Top Mount Storage Trays to secure items while still providing easy access.

Rubber Mat Toolbox Liner

TBP2059 35" x 18" x 1/8"

TBP2060 47" x 18" x 1/8"

TBP2061 59" x 18" x 1/8"

TBP2062 77" x 18" x 1/8"

Adjustable Toolbox Shelf



LED Lighting



Retractable Hose Reel



- Galvanized steel
- Single shelf and two end brackets
- Adjustable to three different heights
- Fits virtually any 18" D x 18" H toolbox (order length that matches length of box).

SUSD24SK 24"

SUSD36SK

36"



PLSL36

SUSD48SK

48"

- High output LED lights
- Weather resistant
- Built in On/Off switch
- Includes two snap-fit mounting brackets
- PLSL06

6" L x 3/8" H x 5/8" W

PLSL12 12" L x 3/8" H x 5/8" W **PLSL48** 47.2" L x 3/8" H x 5/8" W

35.4" L x 3/8" H x 5/8" W

PLSL24 23.6" L x 3/8" H x 5/8" W

PLSLC

Replacement mounting brackets 3/4" L x 5/8" W x 3/8" H

HR3825

- 25' long 3.8" diameter hose
- Spring-driven drum allows automatic rewind.
- Locking ratchet holds desired length during use.
- Fits inside any 18" D x 18" H or larger toolbox

Toolbox Accessories

Portable Air Compressor



AC12V3

- 12V
 - 3 gallon tank
 - 3/4 hp motor
 - 0-120 psi in just 90 seconds
 - Vibration dampening feet
 - Fits any 18" x 18" x 24" or larger toolbox

AC12V3PK

Air compressor Kit Includes:

- Air compressor
- Hose reel (HR3825)
- 50 amp breaker
- Compressor-to-reel hose

Trash Can



- Powdercoated steel
- 15"H x 15"L x 8"W
- 5.5 gal. capacity
- Hinged, latch-close lid

PH3819

Jerry Can



- Powdercoated steel
- 16"H x 13.3"L x 6.5"W
- 4.5 gal. capacity

PH3815

Not recommended for use with fuel or corrosives.

Booster Cable Assembly





- Constructed from 4 gauge copper wire
- Removeable handle
- All necessary hardware and dust cap included in kit.

JM254

25' kit 4' harness

JM25-10

25' kit 10' harness

JM304 30' kit 4' harness



PJM30PC Replacement plug



PJM30BC Replacement clamp - neg

PJM30RC Replacement clamp - pos

PJM30DC Replacement dust cap



Phoenix[™] USA, Inc. Phone 931.526.6128 · Fax 931.526.1795

Phoenix[™] USA, Inc. Phone 931.526.6128 · Fax 931.526.1795



Toolbox Mounting Brackets/Replacement Parts

Replacement Stainless Steel Door Assembly



PSTSD24DC 24" toolbox door (for toolbox STSD24)

PSTSD30DC 30" toolbox door (for toolbox STSD30)

PSTSD36DC 36" toolbox door (for toolbox STSD36)

PSTSD48DC 48" toolbox door (for toolbox STSD48)

PSTSD60DC

60" toolbox door (for toolbox STSD60)

PST3SD60DC

60" 3-point-latch toolbox door (for toolbox ST3SD60)

PSTTB78DC

78" toolbox door (for toolbox STTB78)

Replacement doors include standard t-latch. Add "A" before "DC" in part number for door with Hansen Compression latch.

Replacement Black Powdercoated Single-point Latch Door Assembly



PSTMRD24DC

24" toolbox door (for toolbox STMRD24)

PSTMRD30DC 30" toolbox door (for toolbox STMRD30)

PSTMRD36DC 36" toolbox door (for toolbox STMRD36)

PSTMRD48DC

48" toolbox door (for toolbox STMRD48)

PSTMRD60DC 60" toolbox door

(for toolbox ST3MRD60)

All replacement doors include standard t-latch.

Replacement Cable Assembly



Cable **PH1940** Bracket 37018

TBP2053

Nylock Nut **TBP2052**

Carabiner

Misc. Replacement Parts



TBP2051 Vent








PH3226 Plastic weather lock cover for PH3199 t-handle latch

Toolbox Latch





- lock and cylinder w/key
- Dust/weather cover on lock

part # indicate key/cylinder)



Classic **T-Handle Latch** • All stainless steel includes key

PH1283





- twist-latch grip
- compression seal

GC2501XRXCRCD01





L-Series Light Bar - Next Generation


1

60" Long, Low Profile LED Light Bar with LED Work Lights


- Brake (stop), tail turn
- Rear facing work lights with flashing option
- Traffic arrow with left, right and center out functions in 7 flash patterns
- 55 warning mode flash pattern combinations
- Pair of flat surface mounting brackets, ideal for pylon and headache rack mounting



PLA6016A - 16 head







M-Series Mini Light Bar



- 18"
- 10 LED heads (3 LEDs per head)
- 25 flash patterns

PM1810ABW

Amber Bolt/Wired 14' cord

PM1810AMS

Amber Magnet/Switch 9' cord

Light Bars

Mini LED Warning Light Bar







(bottom view)

Square Mini Light Bar



PB1106AMS

- 24 high-output LEDs
- 7 flash patterns
- heavy-duty magnetic mount
- high strength, impact resistant polycarbonate lens and base
- lower current draw
- includes 12ft power cord, 12v plug with double switch
- operational temperature range: -30° C to 50° C (-22° F to +122° F)
- 11" x 6.5" x 2"
- 12V DC plug
- 2.4 max amp draw
- 19 user-selectable flash patterns
- Clear lens
- Dual button (power/flash pattern)
- Magnetic mount
- 6 head with 3 diodes each
- SAE certified
- 16.75" x 6.5" x 2.9"
- 11' cord

PG1606AMS Amber PG1606RMS Red



- 12V DC
 - 1.8 max amp draw
 - 19 flash patterns
 - Kit contains 2 lights with control unit
 - Industry-standard 3-pin style connector can utilize existing cables in vehicle for a simple upgrade.
 - No risk of melting head/tail light housings like oldstyle strobe tube systems
 - Meets/exceeds SAE and CA-XIII
 - Installs in head or tail lights or can be surfacemounted.
 - Black bezel included

HALOGAB-YY Amber







LED Light Strip



- High output LED lights
- Weather resistant
- Built in On/Off switch
- Includes two snap-fit mounting brackets

PLSL06 6" L x 3/8" H x 5/8" W **PLSL36** 35.4" L x 3/8" H x 5/8" W

PLSL12 12" L x 3/8" H x 5/8" W **PLSL48** 47.2" L x 3/8" H x 5/8" W

PLSL24 23.6" L x 3/8" H x 5/8" W

PLSLC

Replacement mounting brackets 34" L x 5/8" W x 3/8" H

Stand Up Light



License Plate Light

PH306 2.6" L x 2.2" H x 1.8" W

Interior Dome Light



Clear Interior dome light • On/Off Switch

M391 4.6" L x 1.9" H x 2.7" W


Wire Socket Lighting



Marker Lights

420-99 Amber 7.3 L x 1.4" H x 2.9" W **421-99** Red 7.3 L x 1.4" H x 2.9" W

Light Bars / Lighting





PH4874 6"oval bezel









Mountable Work Lights



500 Series Round Work Light

PWLR500

- 6 high-intensity LED diodes
- 1900 lumen
- 5" die cast housing
- single bolt mount



100 Series Round Work Light

PWLR100

- 6 high-intensity LED diodes
- 750+ lumen
- 18 watt
- 10-30v
- 4.6" x 4.6" x 1.7"
- Die cast housing



Junction Boxes



PH1053 7 pole junction box

PH3276 7 pole fused junction box All boxes have:

- · Weather and corrosion-resistant housing
- Wire entry point grommets for increased weather protection

Fused junction boxes:

 provide added protection from malfunctioning and overloaded circuits (fuses not included with fused junction boxes)

Phoenix USA stocks a wide variety of custom junction boxes and wiring harnesses for tow trucks, commercial vehicles and industrial uses. Call today for custom engineered configurations.



PH31010 pole junction boxPH332012 pole junction box



PH4450 18 pole junction box



PH3277 10 pole fused junction box



PH4518 24 pole junction box

Switch Panels



PSP9


- 5 lighted on/off rocker switches2 lighted on/off/on rocker
- switches2 on/off momentary switches
- Function labels included
- Will work all functions on the Phoenix USA, Inc. T- and Sseries light bars plus a PTO switch.



PSP5

- 4 lighted on/off rocker switches
- 1 on/off momentary switch
- Function labels included
- Ideal for Phoenix USA, Inc. L-series light bar

Electrical Accessories/Body Accessories



Kits < 48" tube length include end stanchions. Kits \ge 48" tube length include end and center stanchions.

Add a "K" to the end of any of the above Grab Rail Kit part #s to include mounting screws. Stanchion gaskets also included in 1 1/4" Grab Rail Kits.




- 43 -

Chrome plated steel handle

8.25" x 2"

Rear Body Flares





Fiberglass Rear Body Flares for Light and Medium Wrecker Bodies

RBF-C 1 Pair Century 3" wide

RBF-C14S

1 Single Century 2465 Vulcan V-24 single 3" wide

RBF-0

1 Pair Century 4" wide

RBF-M97

1 Pair Chevron '97-C 2.5" wide

RBF-M97M

1 Pair Chevron '97-C 3.5" wide

RBF-MW97

1 Pair Chevron '97-C 4" wide

RBF-D 1 Pair Dynamic

2" wide

RBF-H

1 Pair Holmes & 4700 series Challenger 2.75" wide

RBF-HW

1 Pair Holmes & 4700 series Challenger 4" wide

RBF-J93

1 Pair Jerr-Dan (steel body) 2" wide

741500003

1 Pair Jerr-Dan (steel body) '93-C 4" wide

RBF-V98

1 Pair Vulcan 2.5" wide

Rubber Flares



Universal Rubber Flexy Flares with Memory Wire

52-170

- 1 Pair
- blind mount
- 58" L x 2.25" W
- includes wire & bolts

52-172

- heavy duty
- 4.5" wide 50' roll

- 52-172PF
- heavy duty4.5" wide
- sold per foot

- 52-188
- 1 Pair
- 61" L x 2" W
- includes wire & bolts

52-190

- 2" wide
- 50' roll

52-191

- 2" wide
- sold per foot

Body Accessories

Quarter Fender



0F21

1 Pair, 21" W

Mirror polished stainless steel Mirror polished stainless steel Fits trucks with 19.5" x 6.75" & 7.5" wide wheels

OF21NF 1 Pair, 21" W

Fits trucks with 19.5" x 6.75" & 7.5" wide wheels

QF21 with stainless trim strip instead of rubber flap for lower deck height carriers.

0F22

1 Pair, 21" W

Fits trucks with 16" - 19.5" x 6" wide wheels

0F24

1 Pair, 24" W Mirror polished stainless steel Mirror polished stainless steel Fits trucks with 22.5" wheels

Half Fender



HF23 1 Pair 21" W Mirror polished stainless steel Fits trucks with 19.5" x 6.75" x 7.5" wide wheels

Wheel/Tire Storage Bag



Store off-season wheels and tires with no need to change the tire pressure during storage.

TBKP01

Fits 28" H tire & 10" W tire Holds 1 wheel/tire per bag

Spare Tire Carrier



SPTCK1 Variable width

Mounts to back of cab

TBKP02

Fits 33" H tire & 12" W tire Holds 1 wheel/tire per bag







Junior Storage Cabinet

R

Phoenix USA, Inc. also offers an additional product line... The Tow-Rax[®] line of storage solutions for your garage, shop & trailer needs.

For more products for use in your shop garage or trailer, check out our line of products specifically designed with the user in mind: Tow-Rax® storage solutions include cabinets, trays, racks and shelves to fit almost any description. For more information, please call and request a catalog or visit Tow-Rax® online at www.towrax.com.

Light Bucket

• 50w LED

- 110-130v
- 4,500 lumen
- Bridgelux chip
- 1 amp draw
- IP65
- 3500-4000 color
- 50,000 hr lifespan

12.625" W x 11.625" H x 5.625" D

SPRLB2L Bucket with light

SPRLB2 Bucket only

PWLS110V50W

Light only

Flashlight Holder



• Mill finish aluminum

• Mill finish aluminum

• Two-level storage

Key hole button

22" H x 13" W x 6" D

mounting kit

SPJCA

• Paper towel holder

• Fold-down work tray

- Lightweight
- Convenient flashlight storage

SP135FLHOA

5.5" H x 3" W x 3" D

*Flashlight not included

Brackets





- Mill finish aluminum
- Convenient storage for tape, small cords, goggles, helmets, hoses, etc.

SP35SBA

Single bracket 4" H x 4" W x 2.5" D

SP1025DBA

Double bracket 3.5" H x 10.5" W x 2.5" D

TowRax[®]

Wall/Floor Track





SPWM

SPWC

kit

kit

mounting kit

SPWC3BT

Black powder-coated steel with wood surface

Chromed steel with wood surface mounting

Chromed steel with

multi-surface mounting

Wheel Chock

L-Track 0.42" H x 1.2" W Black Powder-coated Finish

SP6LTAB 6" Length

SP12LTAB 12" Length

SP18LTAB 18" Length

SPLTE Protective End Cap

L-Series Domed Track 0.43" H x 2" W Black Powder-coated Finish

SP6DTAB 6" Length

SP12DTAB 12" Length

SP18DTAB 18" Length

SPDE Protective End Cap

Single Point Tie Down

SP1DTAB 1.65"D x .42"H

Single Stud Tie Down

SPSSTD Load Capacity: 4,000 lbs.vertical 2,000 lbs. horizontal **Tapered** 0.47" H x 2.5" W Black Powder-coated Finish

SP6TAB 6" Length

SP12TAB 12" Length

SP18TAB 18" Length

SPPGF Protective End Cap

Tapered 0.47" H x 2.5" W Mill Finish

SP24TA 24" Length

SP72TA 72" Length

SPPGF Protective End Cap

Double Stud Tie Down

SPDSTD225

Load Capacity: 6,000 lbs. vertical 2,000 lbs. horizontal

Helmet Shelf



SP280HSA 2-helmet shelf 7"H x 28"W x 15"D





GD816



Simulator Set 16" 8Lug 4HH w/ 9/16" Stud Size

GD816F		Complete front axle set only
GD816R		Complete rear axle set only
PGD1684FWL	2	Front Wheel Liner 16" 8 Lug 4HH
PGD168RWL	2	Rear Wheel Liner 16" 8 Lug 4HH
PGD168LNT	8	Lugnut Cover/Jamnut
PGD168TSX	8	Stud Extender w/ 9/16" inner diameter threads
PGD168TOL	1	Installation Tool for Lugnut/Jamnut attachment
PGQ60POC	2	Pop Out Center
CLPH2	4	2" Phoenix Logo disc

GDF16



Simulator Set '03 -'04 Ford F350 16" 8Lug 4HH Dual Wheel

GDF16F		Complete front axle set only
GDF16R		Complete rear axle set only
PGDF17FWL 2	2	Front Wheel Liner 16" 8 Lug 4HH
PGDF17RWL 2	2	Rear Wheel Liner 16" 8 Lug 4HH
PNF22LNT 8	3	Lugnut Cover/Jamnut
PGD168TOL 1	1	Installation Tool for Lugnut/Jamnut attachment
PGQ60POC 2	2	Pop Out Center
CLPH2 4	1	2" Phoenix Logo disc

Simulator Set '99 -'02 Ford F350 16" 8Lug 4HH Dual Wheel

GDF17F		Complete front axle set only
GDF17R		Complete rear axle set only
PGDF17FWL 2	2	Front Wheel Liner 16" 8 Lug 4HH
PGDF17RWL 2	2	Rear Wheel Liner 16" 8 Lug 4HH
PNF19LNT 8	8	Lugnut Cover/Jamnut
PGD168TOL	1	Installation Tool for Lugnut/Jamnut attachment
PGQ60POC 2	2	Pop Out Center
CLPH2	4	2" Phoenix Logo disc

GDG01



Simulator Set '01 -'07 Chevy/GMC C/K3500, '03-C G3500 16" 8Lug 4HH Dual Wheel

GDG01F		Complete front axle set only
GDG01R		Complete rear axle set only
PGDG01FWL	2	Front Wheel Liner 16" 8 Lug 4HH
PGD168RWL	2	Rear Wheel Liner 16" 8 Lug 4HH
PGDG01TSX	8	Stud Extender
PGDG01SPA	2	Spacer
PGD168LNT	8	Lugnut Cover/Jamnut
PGD168TOL	1	Installation Tool for Lugnut/Jamnut attachment
PGQ60POC	2	Pop Out Center
CLPH2	4	2" Phoenix Logo disc

GDG92



Simulator Set '90 -'00 GM C/K3500, '96 -'02 G3500 Dual 16" 8Lug 4HH

GDG92F		Complete front axle set only
GDG92R		Complete rear axle set only
PGD1684FWL	2	Front Wheel Liner 16" 8 Lug 4HH
PGD168RWL	2	Rear Wheel Liner 16" 8 Lug 4HH
PGDG92TSX	8	Stud Extender
PGD168LNT	8	Lugnut Cover/Jamnut
PGD168TOL	1	Installation Tool for Lugnut/Jamnut attachment
PGQ60POC	2	Pop Out Center
CLPH2	4	2" Phoenix Logo disc

GDST175



Simulator Set Single Wheel Trailer 17.5" 8Lug 7HH

GDST175AS		Complete axle set
PGDST1751SWL	4	Single Wheel Liner 17.5" 8 Lug 7HH
PGDST175HC	4	Hub Cover w/Popout
PN1463TSX	8	Stud Extender 1.4" tall w/ 5/8" thread
PN1863TSX	8	Stud Extender 1.8" tall w/ 5/8" thread
PGD168LNT	8	Lugnut Cover/Jamnut
PGD168TOL	1	Installation Tool for Lugnut/Jamnut attachment
PGDSF99POC	4	Pop Out Center
CLPH275	4	2.75" Phoenix Logo disc

GQ62



Simulator Set '92-'07 Ford E350/E450 16" 8Lug 8HH Dual Wheel

GQ62F		Complete front axle set only
GQ62R		Complete rear axle set only
PGQ62FWL	2	Front Wheel Liner 16" 8Lug 8HH
PGQ62RWL	2	Rear Wheel Liner 16" 8Lug 8HH
CLPH2	4	2" Phoenix Logo disc





Simulator Set Chevy/GMC/Ford/Dodge 16" 8Lug 4HH Dual Wheel

GQ64F		С
GQ64R		С
PGQ64FWL	2	Fr
PGQ60RWL	2	Re
PGQ60POC	2	Po
CLPH2	4	2"

Complete front axle set only Complete rear axle set only

- 2 Front Wheel Liner 16" 8Lug 4HH
- 2 Rear Wheel Liner 16" 8Lug 4HH
- 2 Pop Out Center w/ 2" Logo indent
- 4 2" Phoenix Logo disc



GQST50



GQST60



GQT60

N252



Simulator Set Single Wheel Trailer 15" 5/6Lug 8HH

GQST50AS PGQST50SWL PGQ60POC CLPH2 Complete axle set only
Single Wheel Trailer 15" 6Lug 8HH
Pop Out Center w/ 2" Logo indent

4 2" Phoenix Logo disc

Simulator Set Single Wheel Trailer 16" 6/8Lug 8HH

GQST60AS PGQS64SWL PGQ60POC CLPH2 Complete axle set only
Single Wheel Trailer 16" 8Lug 8HH
Pop Out Center w/ 2" Logo indent
2" Phoenix Logo disc

Simulator Set Tandem Trailer 16"x6" 8Lug 4HH

GQT60AS		Complete axle set
PGQT60RWL	4	Rear Wheel Liner 16" 8Lug 4HH
PGQ60POC	4	Pop Out Center w/ 2" Logo indent
CLPH2	4	2" Phoenix Logo disc



Simulator Set 22.5" x 7.5"/8.25" 10Lug 2HH 11.25" BC Stud Pilot

N252F		Complete front axle set only
N252R		Complete rear axle set only
PN212FWL	2	Front Wheel Liner 22.5" 10Lug 2HH 11.25" BC
PN257RWL	2	Rear Wheel Liner 22.5" 10Lug 2HH 11.25" BC
PN252FHC	2	Front Hub Cover
PN252RHL	8	Rear Hub Cover
PN1418LTX	2	Left Hand Stud Extender 1 1/8" inside thread
PN1418RTX	2	Right Hand Stud Extender 1 1/8" inside thread
PN1475LTX	2	Left Hand Stud Extender 3/4" inside thread
PN1475RTX	2	Right Hand Stud Extender 3/4" inside thread
PN52080LTX	2	Left Hand Stud Extender 2" x 1 1/8" thread
PN52080RTX	2	Right Hand Stud Extender 2" x 1 1/8" thread
PN6256LJN	4	Left Hand Jamnut
PN6256RJN	4	Right Hand Jamnut
PN6256LNC	8	Lugnut Cover 1 5/8" Large SS
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	4	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	4	2.75" Phoenix Logo disc

N252F



Simulator Front Set 22.5" x 7.5"/8.25" 10Lug 2HH 11.25" BC Stud Pilot

PN212FWL	2	Front Wheel Liner 22.5" 10Lug 2HH 11.25" BC
PN252FHC	2	Front Hub Cover
PN1418LTX	2	Left Hand Stud Extender 1 1/8" inside thread
PN1418RTX	2	Right Hand Stud Extender 1 1/8" inside thread
PN1475LTX	2	Left Hand Stud Extender 3/4" thread
PN1475RTX	2	Right Hand Stud Extender 3/4" thread
PN6256LJN	2	Left Hand Jamnut
PN6256RJN	2	Right Hand Jamnut
PN6256LNC	4	Lugnut Cover 1 5/8" Large SS
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25" diameter and 2.75" Logo inden
CLPH275	2	2.75" Phoenix Logo disc

N252R

Simulator Rear Set 22.5" x 7.5"/8.25" 10Lug 2HH 11.25" BC Stud Pilot




PN257RWL	2	Rear Wheel Liner 22.5" 10Lug 2HH 11.25" BC
PN252RHL	2	Rear Hub Cover
PN52080LTX	2	Left Hand Stud Extender 2" x 1 1/8" thread
PN5280RTX	2	Right Hand Stud Extender 2" x 1 1/8" thread
PN6256LJN	2	Left Hand Jamnut
PN6256RJN	2	Right Hand Jamnut
PN6256LNC	4	Lugnut Cover 1 5/8" Large SS
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	2	2.75" Phoenix Logo disc

N259



Simulator Set 22.5" x 9" 10Lug 2HH 11.25" BC Stud Pilot

PN212FWL	2	Front Wheel Liner 22.5" 10Lug 2HH 11.25" BC
PN257RWL	2	Rear Wheel Liner 22.5" 10Lug 2HH 11.25" BC
PN252FHC	2	Front Hub Cover
PN252RHL	2	Rear Hub Cover
PN1418LTX	2	Left Hand Stud Extender 1 1/8" inside thread
PN1418RTX	2	Right Hand Stud Extender 1 1/8" inside thread
PN1475LTX	2	Left Hand Stud Extender 3/4" inside thread
PN1475RTX	2	Right Hand Stud Extender 3/4" inside thread
PN205LTX	2	Left Hand Stud Extender 1 1/8" inside thread
PN205RTX	2	Right Hand Stud Extender 1 1/8" inside thread
PN6256LJN	4	Left Hand Jamnut
PN6256RJN	4	Right Hand Jamnut
PN6256LNC	8	Lugnut Cover 1 5/8" Large SS
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
CLPH275	4	2.75" Phoenix Logo disc





N259R



Simulator Rear Set 22.5" x 9" 10Lug 2HH 11.25" BC Stud Pilot

PN257RWL	2	Rear Wheel Liner 22.5" 10Lug 2HH 11.25" BC
PN252RHL	2	Rear Hub Cover
PN205LTX	2	Left Hand Stud Extender 3.5" tall w/ 1 1/8" inside thread
PN205RTX	2	Right Hand Stud Extender 3.5" tall w/ 1 1/8" inside thread
PN6256LJN	2	Left Hand Jamnut
PN6256RJN	2	Right Hand Jamnut
PN6256LNC	4	Lugnut Cover 1 5/8" Large SS
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25 diameter and 2.75" Logo indent
CLPH275	2	2.75" Phoenix Logo disc

N552



Simulator Set 22.5" x 7.5" /8.25" 10Lug 5HH 11.25" BC Stud Pilot

N552F		Complete front axle set only
N552R		Complete rear axle set only
PN512FWL	2	Front Wheel Liner 22.5" 10Lug 5HH 11.25" BC
PN5257RWL	2	Rear Wheel Liner 22.5" 10Lug 5HH 11.25" BC
PN252FHC	2	Front Hub Cover
PN252RHL	2	Rear Hub Cover
PN1418LTX	2	Left Hand Stud Extender 1 1/8" inside thread
PN1418RTX	2	Right Hand Stud Extender 1 1/8" inside thread
PN1475LTX	2	Left Hand Stud Extender 3/4" inside thread
PN1475RTX	2	Right Hand Stud Extender 3/4" inside thread
PN52080LTX	2	Left Hand Stud Extender 2" x 1 1/8" thread
PN52080RTX	2	Right Hand Stud Extender 2" x 1 1/8" thread
PN6256LJN	4	Left Hand Jamnut
PN6256RJN	4	Right Hand Jamnut
PN6256LNC	8	Lugnut Cover 1 5/8" Large SS
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	4	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	4	2.75" Phoenix Logo disc

N552F



Simulator Front Set 22.5" x 7.5"/8.25" 10Lug 5HH 11.25" BC Stud Pilot

PN512FWL PN252FHC PN1418LTX PN1418RTX PN1475LTX PN1475RTX PN6256LJN PN6256LJN PN6256LNC PN205TOL	2 2 2 2 2 2 2 2 2 4 1	Front Hub Cover Left Hand Stud Extender 1 1/8" inside thread Right Hand Stud Extender 1 1/8" inside thread Left Hand Stud Extender 3/4" thread Right Hand Stud Extender 3/4" thread
		0

N552R

N6559



Simulator Rear Set 22.5" x 7.5"/8.25" 10Lug 5HH 11.25" BC Stud Pilot

2	Rear Wheel Liner 22.5" 10Lug 5HH 285mm	BC
---	--	----

2 Rear Hub Cover

PN5257RWL

PN52080LTX

PN52080RTX

PN6256LJN

PN6256RJN

PN6256LNC

PN205TOL

CLPH275

SP425

PN252RHL

- 2 Left Hand Stud Extender 2" x 1 1/8" inside thread
- 2 Right Hand Stud Extender 2" x 1 1/8" inside thread
- 2 Left Hand Jamnut
- 2 Right Hand Jamnut
- 4 Lugnut Cover 1 5/8" Large SS
- 1 Installation Tool for Lugnut/Jamnut attachment
- 2 Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
- 2 2.75" Phoenix Logo disc



Simulator Set Mitsubishi 16" 5Lug 5HH Dual Wheel

N6559F		Complete front axle set only
N6559R		Complete rear axle set only
PN5560FWL	2	Front Wheel Liner 16" 5Lug 6HH
PN6559RWL	2	Rear Wheel Liner 16" 5Lug 6HH
PN6558RHL	2	Rear Hub Cover
PN1430LTX	2	Left Hand Stud Extender 1.4" x 30mm
PN1430RTX	2	Right Hand Stud Extender 1.4" x 30mm
PN6559LBK	З	Left Hand Bracket
PN6559RBK	З	Right Hand Bracket
PN6256LJN	5	Left Hand Jamnut
PN6256RJN	5	Right Hand Jamnut
PN6256LNC	10	Lugnut Cover 1 5/8" Large SS
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	4	2.75" Phoenix Logo disc

N6664



Simulator Set Isuzu/Hino/UD/Mitsubishi 16" 6Lug 6HH Dual Wheel

N6664F		Complete front axle set only
N6664R		Complete rear axle set only
PN6558FWL	2	Front Wheel Liner 16" 6Lug 6HH
PN6660RWL	2	Rear Wheel Liner 16" 6Lug 6HH
PN6660RHLL	2	Rear Hub Cover
PN6680LBK	2	Left Hand Bracket w/ 2" post
PN6680RBK	2	Right Hand Bracket w/ 2" post
PN1830LTX	2	Left Hand Stud Extender 1.8" x 30mm
PN1830RTX	2	Right Hand Stud Extender 1.8" x 30mm
PN6256LJN	4	Left Hand Jamnut
PN6256RJN	4	Right Hand Jamnut
PN6256LNC	8	Lugnut Cover 1 5/8" Large SS
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	4	2.75" Phoenix Logo disc





N6670



Simulator Set Isuzu/Hino/UD/Mitsubishi 16" (2 piece Dual Wheel) & 17.5" 6Lug 6HH Dual Wheel

 N6670F
 2

 PN6670FWL
 2

 PN6670RWL
 2

 PN6660RHLL
 2

 PN6680LBK
 2

 PN6680RBK
 2

 PN1830LTX
 2

 PN1830RTX
 2

 PN6256LJN
 4

 PN6256RJN
 4

 PN205TOL
 1

 CLPH275
 4

Complete front axle set only
Complete rear axle set only
Front Wheel Liner 17.5" 6Lug 6HH
Rear Wheel Liner 17.5" 6Lug 6HH
Rear Hub Cover
Left Hand Bracket w/ 2" post
Right Hand Bracket w/ 2" post
Left Hand Stud Extender 1.8" x 30mm
Right Hand Stud Extender 1.8" x 30mm
Left Hand Jamnut
Right Hand Jamnut
Right Hand Jamnut
Lugnut Cover 1 5/8" Large SS
Installation Tool for Lugnut/Jamnut attachment

4 2.75" Phoenix Logo disc

N6681



Simulator Set Isuzu Import 19.5" 6Lug 6HH Dual Wheel

N6681F		Complete front axle set only
N6681R		Complete rear axle set only
PN6680FWL	2	Front Wheel Liner 19.5" 6Lug 6HH Import
PN6681RWL	2	Rear Wheel Liner 19.5" 6Lug 6HH Import
PN6680LBK	2	Left Hand Bracket w/ 2 posts
PN6680RBK	2	Right Hand Bracket w/ 2 posts
PN1430LTZ	2	Left Hand Stud Extender 1.4" x 30mm (Gas)
PN1830LTX	2	Left Hand Stud Extender 1.8" x 30mm (Diesel)
PN1430RTZ		Right Hand Stud Extender 1.4" x 30mm (Gas)
PN1830RTX	2	Right Hand Stud Extender 1.8" x 30mm (Diesel)
PN6256LJN	4	Left Hand Jamnut
PN6256RJN	4	Right Hand Jamnut
PN197LNC	8	Lugnut Cover 1 5/8" Large (Tall) SS
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
CLPH275	4	2.75" Phoenix Logo disc

N6695



Simulator Set Hino 19.5" 6Lug 6HH Dual Wheel

NCCOFF		Operation of the set of the set of the
N6695F		Complete front axle set only
N6695R		Complete rear axle set only
PN6695FWL	2	Front Wheel Liner 19.5" 6Lug 6HH Hino
PN6695RWL	2	Rear Wheel Liner 19.5" 6Lug 6HH Hino
PN6695FLBK	2	Left Hand Front Bracket
PN6695FRBK	2	Right Hand Front Bracket
PN6695RLBK2	2	Left Hand Rear Bracket
PN6695RRBK2	2	Right Hand Rear Bracket
PN6256LJN	4	Left Hand Jamnut
PN6256RJN	4	Right Hand Jamnut
PN197LNC	8	Lugnut Cover 1 5/8" Large (Tall) SS
PN6695SPA	4	Rear Spacer
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
CLPH275	4	2.75" Phoenix Logo disc

ND1912



Simulator Set '08 - C Dodge 4500/5500 19.5" 10Lug 5HH

ND1912F		Complete front axle set only
ND1912R		Complete rear axle set only
PND1907FWL	2	Front Wheel Liner 19.5" 10Lug
PND1907RWL	2	Rear Wheel Liner 19.5" 10Lug
PGDSF03TSX	4	Stud Extender w/ M 14 x 1.5 inner diameter threads
PGD168TSX	4	Stud Extender w/ 9/16" inner diameter threads
PH3709	1	6mm Hex Key
PND1907BKT	4	Bracket
PGD168LNT	4	Lugnut Cover/Jamnut
PGD168TOL	1	Installation Tool for Lugnut/Jamnut attachment
CLPH275	4	2.75" Phoenix Logo disc

ND20

Simulator Set '99-'02 Dodge 3500 2WD/4WD 16" 8Lug 4HH



ND20FComplete front axle set onlyPGD1684FWL2Front Wheel Liner 16" 8Lug 4HHPGD168RWL2Rear Wheel Liner 16" 8Lug 4HHPGD168LNT8Lugnut Cover/JamnutPGD168TSX8Stud Extender w/ 9/16" inner diameter threads

8 Spacer

139987 PGD168TOL PGQ60POC CLPH2

PGD1684FWL

PGD168RWL

PGD168LNT

PN1463TSX

PGD168TOL

PGQ60POC

CLPH2

PGDST87SPA

- 8 Lugnut 3/4" Tall w/ 9/16" threads w/ washer
- 1 Installation Tool for Lugnut/Jamnut attachment

8 Stud Extender w/ 9/16" inner diameter threads

1 Installation Tool for Lugnut/Jamnut attachment

- 2 Pop Out Center w/ 2" Logo indent
- 4 2" Phoenix Logo disc



Simulator Set '69-'93 Dodge D350 2WD 16" 8Lug 4HH Dual Wheel

8 Lugnut Cover/Jamnut

4 2" Phoenix Logo disc

2 Front Wheel Liner 16" 8Lug 4HH

2 Rear Wheel Liner 16" 8Lug 4HH

2 Pop Out Center w/ 2" Logo indent



NDT165

Simulator Set Trailer 16"/16.5" 8Lug 4HH Dual Wheel

NDT165AS
PNDT165RWL
PN1863TSX
PNF98LNT
PGD168TOL
PGDSF99POC
CLPH2

- 4 Rear Wheel Liner 16"/16.5" 8Lug 4HH
- 8 Stud Extender 1.8" Tall w/ 5/8" thread
- 8 Lugnut Cover/Jamnut
- 1 Installation Tool for Lugnut/Jamnut attachment
- 4 Pop Out Center w/ 2" Logo indent
- 4 2" Phoenix Logo disc







NF10



Simulator Set '88-'98 Ford SD 2WD 16" 10Lug 4HH

NF10F		Complete front axle set only
NF10R		Complete rear axle set only
PNF10FWL 2	2	Front Wheel Liner 16" 10Lug 4HH
PNF10RWL 2	2	Rear Wheel Liner 16" 10Lug 4HH
PNF10STX 8	3	Stud Extender w/ 9/16" inner diameter
PNF98LNT 8	3	Lugnut Cover/Jamnut
PGD168TOL 1		Installation Tool for Lugnut/Jamnut attachment
CLPH2 4	ŀ	2" Phoenix Logo disc

NF12

NF14



Simulator Set '08-C Ford E350/E450 16" 8Lug 4HH Dual Wheel

NF12F NF12R PGD1684FWL PGD168RWL PNF12STX PGD168LNT PGD168TOL PGQ60POC CLPH2

Complete front axle set only Complete rear axle set only 2 Front Wheel Liner 16" 8Lug 4HH 2 Rear Wheel Liner 16" 8Lug 4HH 8 Stud Extender 9/16" threads 8 Lugnut Cover/Jamnut 1 Installation Tool for Lugnut/Jamnut attachment 2 Pop Out Center w/ 2" Logo indent

4 2" Phoenix Logo disc

Simulator Set '15-C Ford Transit 2WD 16" 6Lug Dual Wheel

NF14F NF14R PNF14FWL PNF14RWL PNF14BKT PNF22LNT PH3709 PGD168TOL CLPH275

Complete front axle set only Complete rear axle set only

- 2 Front Wheel Liner 16" 6Lug
- 2 Rear Wheel Liner 16" 6Lug
- 4 Bracket
- 4 Lugnut Cover/Jamnut 1 3/8" tall 14mm dia. w/ 1.5mm threads
- Allen Wrench 1
- 1 Installation Tool for Lugnut/Jamnut attachment
- 4 2.75" Phoenix Logo disc

NF19



Simulator Set '99-'02 Ford F450/F550 19.5" 8Lug 5HH

NF19F Complete front axle set only NF19R Complete rear axle set only PNF19FWL 2 Front Wheel Liner 19.5" 8Lug 5HH PNF19RWL 2 Rear Wheel Liner 19.5" 8Lug 5HH PNF19LNT 8 Lugnut Cover/Jamnut PGD168TOL Installation Tool for Lugnut/Jamnut attachment 1 2 Pop Out Center w/ 4.25" diamenter and 2.75" Logo indent SP425 CLPH275 4 2.75" Phoenix Logo disc





Simulator Set '03-'04 Ford F450/F550 19.5" 8Lug 5HH

NF22F		Complete front axle set only
NF22R		Complete rear axle set only
PNF19FWL	2	Front Wheel Liner 19.5" 8Lug 5HH
PNF22RWL	2	Rear Wheel Liner 19.5" 8Lug 5HH
PNF22LNT	8	Lugnut Cover/Jamnut
PGD168TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25" diamenter and 2.75" Logo indent
CLPH275	4	2.75" Phoenix Logo disc

NF23



Simulator Set '05-C Ford F350 17" 8Lug 4HH Dual Wheel

NF23F		Complete front axle set only
NF23R		Complete rear axle set only
PNF23FWL	2	Front Wheel Liner 17" 8Lug on 200mm BC
PNF23RWL	2	Rear Wheel Liner 17" 8Lug on 200mm BC
PNF22LNT	8	Lugnut Cover/Jamnut
PGD168TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	4	2.75" Phoenix Logo disc

NF25

Simulator Set '05-C Ford F450/F550 19.5" 10Lug 5HH

NF25F		Complete front axle set only
NF25R		Complete rear axle set only
PNF25FWL	2	Front Wheel Liner 19.5" 10Lug 5HH
PNF25RWL	2	Rear Wheel Liner 19.5" 10Lug 5HH
PNF22LNT	8	Lugnut Cover/Jamnut
PGD168TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	4	2.75" Phoenix Logo disc





Simulator Set '92-'07 Ford E350/E450 16" 8Lug 8HH Dual Wheel

NF98F NF98R		Complete front axle set only Complete rear axle set only
PNF98FWL	2	Front Wheel Liner 16" 8Lug 8HH
PNF98RWL	2	Rear Wheel Liner 16" 8Lug 8HH
PNF10STX	8	Stud Extender w/ 9/16" inner diameter
PNF98LNT	8	Lugnut Cover/Jamnut
PGD168TOL	1	Installation Tool for Lugnut/Jamnut attachment
CLPH2	4	2" Phoenix Logo disc



Phoenix WUSA, Inc. Phone 931.526.6128 · Fax 931.526.1795

NFQ17



Simulator Set Quigley Conversion 17" 4WD 8Lug Dual Wheel

PNFQ17FWL	2	Front Wheel Liner 17" 8Lug
PNFQ17RWL	2	Rear Wheel Liner 17" 8Lug
PNF12STX	4	Stud Extender w/ 9/16" threads
PNF22LNT	4	Lugnut Cover/Jamnut
PNF98LNT	4	Lugnut Cover/Jamnut
PGD168TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	4	2.75" Phoenix Logo disc

NFS156



Simulator Set Sprinter Chassis 15" 6Lug 6HH Dual Wheel

NFS156F	
NFS156R	
PNFS156FWL	
PNFS156RWL	
PNFS156LNT	
PGD168TOL	
CLPH275	

Complete front axle set only Complete rear axle set only 2 Front Wheel Liner 15" 6Lug 6HH

- 2 Rear Wheel Liner 15" 6Lug 6HH
- 8 Lugnut Cover/Jamnut
- 1 Installation Tool for Lugnut/Jamnut attachment
- 4 2.75" Phoenix Logo disc

Simulator Set '08-'10 Chevy/GMC C/K 3500 17" 8Lug 5HH Dual Wheel

NG17F		Complete front axle set only
NG17R		Complete rear axle set only
PNG17FWL 2	-	Front Wheel Liner 17" 8Lug 5HH
PNG17RWL 2	-	Rear Wheel Liner 17" 8Lug 5HH
PGDG92TSX 8	3	Stud Extender
PGD168LNT 8	3	Lugnut Cover/Jamnut
PGD168TOL 1		Installation Tool for Lugnut/Jamnut attachment
CLPH2 4	Ļ	2" Phoenix Logo disc



NG17



Simulator Set '11-C Chevy/GMC C/K 3500 17" 8Lug 5HH Dual Wheel

NG18F NG18R PNG18FWL PNG18RWL PGDG92TSX PNF98LNT PGD168TOL CLPH275

- Complete front axle set only
 Complete rear axle set only
 Front Wheel Liner 17" 8Lug 5HH
 Rear Wheel Liner 17" 8Lug 5HH
 Stud Extender
 Lugnut Cover/Jamnut
 Installation Tool for Lugnut/Jamnut attachment
- 4 2.75" Phoenix Logo disc

NG961



Simulator Set '75-C GM p-30 19.5" 5Lug Front/10Lug Rear 5HH

NG961 F		Complete front axle set only
NG961R		Complete rear axle set only
PNG960FWL	2	Front Wheel Liner 19.5" 5Lug 5HH
PNG961RWL	2	Rear Wheel Liner 19.5" 10Lug 5HH
PNG961FHC	2	Front Hub Cover
PN1463TSX	10	Stud Extender 1.4" Tall w/5/8" threads
PGD168LNT	10	Lugnut Cover/Jamnut
PGD168TOL	1	Installation Tool for Lugnut/Jamnut attachment
CLPH275	4	2.75" Phoenix Logo disc

NH252

Simulator Set 22.5" x 7.5"/8.25" 10Lug 2HH 285mm BC Hub Pilot



.2.0	~ '	.5 70.25 TOLUY 2111 20511111 DO TIUD FILOU
		Complete front axle set only
		Complete rear axle set only
	2	Front Wheel Liner 22.5" 10Lug 2HH 285mm BC
	2	Rear Wheel Liner 22.5" 10Lug 2HH 285mm BC
	2	Front Hub Cover
	2	Rear Hub Cover
	8	Stud Extender 1.4" Tall w/ 22mm threads
	8	Right Hand Jamnut
	8	Lugnut Cover 1 5/8" Large SS
	4	Spacer
	1	Installation Tool for Lugnut/Jamnut attachment
	4	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent

4 2.75" Phoenix Logo disc

NH252F



NH252R



Simulator Front Set 22.5" x 7.5"/8.25" 10Lug 2HH 285mm BC Hub Pilot

PN212FWL	2	Front Wheel Liner 22.5" 10Lug 2HH 285mm BC
PN252FHC	2	Front Hub Cover
PNH1422TSX	4	Stud Extender 1.4" Tall w/ 22mm threads
PN6256LNC	4	Lugnut Cover 1 5/8" Large SS
PN6256RJN	4	Right Hand Jamnut
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	2	2.75" Phoenix Logo disc

Simulator Rear Set 22.5" x 7.5"/8.25" 10Lug 2HH 285mm BC Hub Pilot

PN257RWL	2	Rear Wheel Liner 22.5" 10Lug 2HH 285mm BC
PN252RHL	2	Rear Hub Cover
PNH1422TSX	4	Stud Extender 1.4" Tall w/ 22mm threads
PN6256RJN	4	Right Hand Jamnut
PN6256LNC	4	Lugnut Cover 1 5/8" Large SS
PNH251SPA	4	Spacer
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	2	2.75" Phoenix Logo disc

Phoenix[™] USA, Inc. Phone 931.526.6128 · Fax 931.526.1795



NH259



Simulator Set 22.5" x 9" 10Lug 2HH 285mm BC Hub Pilot

NH252F NH259R PN212FWL PN257RWL PN252FHC PN252RHL PNH1422TSX PNH2522TSX PN6256RJN PN6256LNC PNH251SPA PN205TOL SP425 CLPH275

- Complete front axle set only
 Complete rear axle set only
 Front Wheel Liner 22.5" 10Lug 2HH 285mm BC
 Rear Wheel Liner 22.5" 10Lug 2HH 285mm BC
 Front Hub Cover
 Rear Hub Cover
 Stud Extender 1.4" Tall w/ 22mm threads
 Stud Extender 2.5" Tall w/ 22mm threads
 Right Hand Jamnut
 Lugnut Cover 1 5/8" Large SS
 Spacer
- 1 Installation Tool for Lugnut/Jamnut attachment
- 4 Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
- 4 2.75" Phoenix Logo disc

NH259R



Simulator Rear Set 22.5" x 9" 10Lug 2HH 285mm BC Hub Pilot

		0
PN257RWL	2	Rear Wheel Liner 22.5" 10Lug 2HH 285mm BC
PN252RHL	2	Rear Hub Cover
PNH2522TSX	4	Stud Extender 2.5" Tall w/ 22mm threads
PN6256RJN	4	Right Hand Jamnut
PN6256LNC	4	Lugnut Cover 1 5/8" Large SS
PNH251SPA	4	Spacer
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	2	2.75" Phoenix Logo disc

NH4860



Simulator Rear Set '03-'10 C4500 19.5" 8Lug 4HH Wheel #29717

NH4860F NH4860R PNH4860FWL PNH4860RWL PNH8490JNT PN6256LNC PN205TOL SP425 CLPH275

- 2 Complete front axle set only
- 2 Complete rear axle set only
- 2 Front Wheel Liner 19.5" 8Lug 4HH
- 2 Rear Wheel Liner 19.5" 8Lug 4HH
- 4 Jamnut 20mm Double Shouldered
- 4 Lugnut Cover 1 5/8" Large SS
- 1 Installation Tool for Lugnut/Jamnut attachment
- 2 Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
- 2 2.75" Phoenix Logo disc

NH5092



Simulator Set 19.5" 10Lug 5HH on 285mm BC Wheel #29195

NH5092F		Complete front axle set only
NH5092R		Complete rear axle set only
PNH5090FWL	2	Front Wheel Liner 19.5" 10Lug 5HH
PNH5090RWL	2	Rear Wheel Liner 19.5" 10Lug 5HH
PNH8495JNT	8	Jamnut 22mm Double Shouldered
PN6256LNC	8	Lugnut Cover 1 5/8" Large SS
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	4	2.75" Phoenix Logo disc

NH5259

Simulator Set 22.5" x 9" 10Lug 5HH 285mm BC Hub Pilot



NH552F		Complete front axle set only
NH5259R		Complete rear axle set only
PN512FWL	2	Front Wheel Liner 22.5" 10Lug 5HH 285mm BC
PN5257RWL	2	Rear Wheel Liner 22.5" 10Lug 5HH 285mm BC
PN252FHC	2	Front Hub Cover
PN252RHL	2	Rear Hub Cover
PNH1422TSX	4	Stud Extender 1.4" Tall w/ 22mm threads
PNH2522TSX	4	Stud Extender 2.5" Tall w/ 22mm threads
PN6256RJN	8	Right Hand Jamnut
PN6256LNC	8	Lugnut Cover 1 5/8" Large SS
PNH251SPA	4	Spacer
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	4	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	4	2.75" Phoenix Logo disc

NH552





	Complete front axle set only
	Complete rear axle set only
2	Front Wheel Liner 22.5" 10Lug 5HH 285mm BC
2	Rear Wheel Liner 22.5" 10Lug 5HH 285mm BC
2	Front Hub Cover
2	Rear Hub Cover
8	Right Hand Jamnut
8	Stud Extender 1.4" Tall w/ 22mm threads
8	Lugnut Cover 1 5/8" Large SS
4	Spacer
1	Installation Tool for Lugnut/ Jamput attachment

- 1 Installation Tool for Lugnut/Jamnut attachment
- 4 Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
- 4 2.75" Phoenix Logo disc



NH552F NH552R PN512FWL PN5257RWL PN252FHC PN252RHL PN6256RJN PNH1422TSX PN6256LNC PNH251SPA PN205TOL

SP425

CLPH275

NH552F



Simulator Front Set 22.5" x 7.5"/8.25" 10Lug 5HH 285mm BC Hub Pilot

2	Front Wheel Liner 22.5" 10Lug 5HH 285mm BC
2	Front Hub Cover
4	Stud Extender 1.4" Tall w/ 22mm threads
4	Right Hand Jamnut
4	Lugnut Cover 1 5/8" Large SS
1	Installation Tool for Lugnut/Jamnut attachment
2	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
4	2.75" Phoenix Logo disc
	2 4 4 1 2

NH552R



Simulator Rear Set 22.5" x 7.5"/8.25" 10Lug 5HH 285mm BC Hub Pilot

PN5257RWL	2	Rea
PN252RHL	2	Rea
PNH1422TSX	4	Stu
PN6256RJN	4	Rig
PN6256LNC	4	Lug
PNH251SPA	4	Spa
PN205TOL	1	Ins
SP425	2	Po
CLPH275	2	2.7

2	Rear	Wheel	Liner	22.5"	10Lug	5HH	285mm	BC

- ear Hub Cover
- ud Extender 1.4" Tall w/ 22mm threads
- ght Hand Jamnut
- gnut Cover 1 5/8" Large SS
- acer
- stallation Tool for Lugnut/Jamnut attachment
- p Out Center w/ 4.25" diameter and 2.75" Logo indent
- 75" Phoenix Logo disc

Simulator Set 19.5" x 6.75" 8Lug 4HH w/ 20mm Studs

NH8494F		Complete front axle set only
NH8494R		Complete rear axle set only
PNH8490FWL	2	Front Wheel Liner 19.5" x 6.75" 8Lug 4HH
PNH8494RWL	2	Rear Wheel Liner 19.5" x 6.75" 8Lug 4HH
PNH8490JNT	8	Jamnut 20mm Double Shouldered
PN6256LNC	8	Lugnut Cover 1 5/8" Large SS
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	4	2.75" Phoenix Logo disc





Simulator Set 19.5" x 6.75" 8Lug 4HH w/ 22mm Studs

NH8495F		Complete front axle set only
NH8495R		Complete rear axle set only
PNH8490FWL	2	Front Wheel Liner 19.5" x 6.75" 8Lug 4HH
PNH8494RWL	2	Rear Wheel Liner 19.5" x 6.75" 8Lug 4HH
PNH8495JNT	8	Jamnut 22mm Double Shouldered
PN6256LNC	8	Lugnut Cover 1 5/8" Large SS
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	4	2.75" Phoenix Logo disc

NH8496



Simulator Set 19.5" x 6.75" 8Lug 4HH w/ 22mm Studs

NH8496F		Complete front axle set only
NH8496R		Complete rear axle set only
PNH8490FWL	2	Front Wheel Liner 19.5" x 6.75" 8Lug 4HH
PNH8494RWL	2	Rear Wheel Liner 19.5" x 6.75" 8Lug 4HH
PNH8495JNT	8	Jamnut 22mm Double Shouldered
PN6256LNC	8	Lugnut Cover 1 5/8" Large SS
39874	8	Jamnut 33mm hex short black
PN205TOL	1	Installation Tool for Lugnut/Jamnut attachment
SP425	2	Pop Out Center w/ 4.25" diameter and 2.75" Logo indent
CLPH275	4	2.75" Phoenix Logo disc



Ford Transit 16" 6Lug AWD Single Wheel

PNF14FWL
PNSF14BKT
PH3709
CLPH275

- 4 Front Wheel Liner 16" 6Lug
- 8 Bracket
- 1 Hex wrench
- 4 2" Phoenix Logo disc

NSF921



Simulator Set '92-C Ford E250/E350, '92-'98 F250/F350 16" 8Lug 2WD Single Wheel

NSF921F		Complete front axle set only
NSF921R		Complete rear axle set only
PNSF921SWL	4	Single Wheel Liner 16" 8Lug
PGDSF92MHC	2	Front Hub Cover
PGDSF92RHC	2	Rear Hub Cover
PGDSF92LNT	8	9/16" Lugnut Cover/Jamnut
PGD168TOL	1	Installation Tool for Lugnut/Jamnut attachment
CLPH2	4	2" Phoenix Logo disc

NSF941



Simulator Set '92-C Ford E250/E350, '92-'98 F250/F350 16" 8Lug 4WD **Single Wheel**

NSF941F		Complete front axle set only
NSF921R		Complete rear axle set only
PNSF921SWL	4	Single Wheel Liner 16" 8Lug
PGDSF99MH4	2	Front Hub Cover w/ Popout
PGDSF92RHC	2	Rear Hub Cover
PGDSF92LNT	8	9/16" Lugnut Cover/Jamnut
PGD168TOL	1	Installation Tool for Lugnut/Jamnut attachment
PGDSF99POC	2	Pop Out Center w/ 2" Logo indent for Single Wheel
CLPH2	2	2" Phoenix Logo disc





NSG03

NST06



Simulator Set '03-C GM Express Van 16" 8Lug Single Wheel

NSG03AS PNSG03SWL PNSG03HC PNSG03LNT PGD168TOL CLPH2

- Complete axle set
- 4 Single Wheel Liner 16" 8Lug
- 4 Hub Cover
- 8 Lugnut Cover/Jamnut
- 1 Installation Tool for Lugnut/Jamnut attachment
- 4 2" Phoenix Logo disc

Simulator Set Single Wheel Trailer 16" 8Lug 7HH (oval)

NST06AS PNST06SWL PGDSF99MH4 PN1850TSX PN1856TSX PGD168LNT PGDST87SPA PGD168TOL PGDSF99POC CLPH275

	Complete axle set
4	Single Wheel Liner 16" 8Lug 7HH (oval)
4	Hub Cover
8	Stud Extender w/ 1/2" inner diameter
8	Stud Extender w/ 9/16" inner diameter
8	Lugnut Cover/Jamnut
8	Spacer
1	Installation Tool for Lugnut/Jamnut attachment
4	Pop Out Center w/ 2" Logo indent
4	2.75" Phoenix Logo disc

NST15



Simulator Set Single Wheel Trailer 15" 5/6Lug 7HH (oval)

NST15AS		Complete axle set
PNST15SWL	4	Single Wheel Liner 15" 5/6Lug 7HH (oval)
PNST15HC	4	Hub Cover
PNST15JNT	16	Jamnut
PNST15BKT	4	Bracket
PNST15SPA	8	Spacer
P790ASSS	8	Mounting Screw
40222	8	Flat Washer
QM25800	8	Pan Head SS Machine Screw M8.0 x 1.25 x 35
PNST15POC	4	Pop Out Center w/ 2" Logo
CLPH2	4	2" Phoenix Logo disc

QC1019



Simulator Set Universal 19.5" Ring Mount

QC1019F		Complete front axle set only
QC1019R		Complete rear axle set only
PQC1019FWL	2	Front Wheel Liner 19.5" Ring Mount
PQC1019RWL	2	Rear Wheel Liner 19.5" Ring Mount
PQC1019RNG	4	Universal 19.5" Mounting Ring
VE1500SS	2	Air Inflation 15" Outer Wheel Valve Extension
VE2400SS	2	Air Inflation 24" Outer Wheel Valve Extension
PQC225SSS	16	SS Liner Screws for Quick Cover sets
PQC225TOL	1	Quick Cover Installation Tool
CLPH275	4	2.75" Phoenix Logo disc

QC1025F



Simulator Front Set Universal 22.5" Ring Mount

PQC1025FWL PQC1025RNG PQC225SSS PQC225TOL PQC1025POC CLPH275

QC1025F QC1030R PQC1025FWL PQC1030RWL PQC1025RNG VE1500SS VE2400SS PQC225SSS PQC225TOL PQC1025POC CLPH275

- 2 Front Wheel Liner 22.5" Ring Mount
- 2 Mounting Ring 22.5"
- 10 SS Liner Screws for Quick Cover sets
- 1 Quick Cover Installation Tool
- 2 Pop Out Center w/ 2.75" Logo indent
- 2 2.75" Phoenix Logo disc

QC1030



Simulator Set Universal 22.5" Ring Mount

	Complete front axle set only
	Complete rear axle set only
2	Front Wheel Liner 22.5" Ring Mount
2	Rear Wheel Liner 22.5" Ring Mount
4	Mounting Ring 22.5"
2	Air Inflation 15" Outer Wheel Valve Extension
2	Air Inflation 24" Outer Wheel Valve Extension
20	SS Liner Screws for Quick Cover sets
1	Quick Cover Installation Tool
2	Pop Out Center w/ 2.75" Logo indent
4	2.75" Phoenix Logo disc

QC1030R

Simulator Rear Set Universal 22.5" Ring Mount

PQC1030RWL	2	Rear Wheel Liner 22.5" Ring Mount
PQC1025RNG	2	Mounting Ring 22.5"
VE1500SS	2	Air Inflation 15" Outer Wheel Valve Extension
VE2400SS	2	Air Inflation 24" Outer Wheel Valve Extension
PQC225SSS	10	SS Liner Screws for Quick Cover sets
PQC225TOL	1	Quick Cover Installation Tool
CLPH275	2	2.75" Phoenix Logo disc

QC160A

Simulator Set 16" 8Lug 8HH Single/Dual Wheel



QC160AS		Complete axle set
PQC160ASWC	4	Quick Cover 16" 8Lug 8HH



QCT175



Simulator Set 17.5" Tandem Axle Dual Wheel/Single Wheel Trailer

PQCT175SWL PQCT175RNG PQCT175SSS CLPH275

- 4 Single Wheel Liner 17.5" Ring Mount
- 4 Mounting Ring 17.5"
- 12 Mounting Screw 19mm
- 4 2.75" Phoenix Logo disc

QL74



Simulator Set Chevy/GMC/Ford/Dodge 17" Dual Wheel

PQL74FWL PQL74RWL CLPH275

- 2 Front Wheel Liner 17" 8Lug 8HH
- 2 Rear Wheel Liner 17" 8Lug 8HH
- 4 2.75" Phoenix Logo disc

Note: will NOT fit wheel #29837 with square hand holes found on some '05-'06 Ford trucks.

Also Available in retail package.

QL74 snap-on liner is ready for the retail shelf in packaging with a pop-out front for easy display.



QLSF17

Simulator Set '17-C Ford F150 17" 6Lug 8HH

PQLSF17SWL CLPH275 4 Single Wheel Liner 17" 6Lug4 2.75" Phoenix Logo disc

QLST16

Simulator Set '15-C Ford Transit Van 16" 5Lug

QLST16AS PQLST16SWL CLPH275 Complete axle set 4 Single Wheel Liner 16" 6Lug 4 2.75" Phoenix Logo disc



QS16



Simulator Set '06-C Sprinter 16" 6Lug Dual Wheel

QS16F	
QS16R	
PQS16FWL	
PQS16RWL	
PQS16RHC	
P790ASSS	
CLPH2	

- Complete front axle set only Complete rear axle set only 2 Front Wheel Liner 16" 6Lug 2 Rear Wheel Liner 16" 6Lug 2 Rear Hub Cover
- 4 Stainless Steel Screw
- 4 2" Phoenix Logo disc

SLD1703



Simulator Set '03-'18 Dodge 3500 17" 8Lug 5HH Dual Wheel

SLD1703F		Complete front axle set only
SLD1703R		Complete rear axle set only
PD1703FWL	2	Front Wheel Liner 17" 8Lug 5HH
PD1703RWL	2	Rear Wheel Liner 17" 8Lug 5HH
PD1703FHC	2	Front Hub Cover
PD1703RHC	2	Rear Hub Cover
P790ASSS	8	Mounting Screw
CLPH2	4	2" Phoenix Logo disc



Simulator Set '01-'07 GM C/K3500, '01-C G3500 Van 16" 8Lug Dual Wheel

SLG116F
SLG116R
PG116FWL
PG116RWL
PG116PNC

Complete front axle set only Complete rear axle set only

- 2 Front Wheel Liner 16" 8Lug 4HH
- 2 Rear Wheel Liner 16" 8Lug 4HH
- 32 Lugnut Cover

SLU168



Simulator Set 16"/16.5" 8Lug on 6.5" BC 4HH Dual Wheel

SLU168F		Complete front axle set only
SLU168R		Complete rear axle set only
SP28	2	Front Wheel Liner 16"/16.5" 8Lug on 6.5" BC
SP32	2	Rear Wheel Liner 16"/16.5" 8Lug on 6.5" BC
PU168FHC	2	Front Hub Cover
PU168RHC	2	Rear Hub Cover
PU168RNG	4	Ring Attachment
PU168TOL	1	Installation Tool



Delivery Address: 51 East Borden Street Cookeville, TN 38501-3239 Mailing Address: P.O. Drawer 40 Cookeville, TN 38503-0040

PhoenixUSA.com

phone: 931.526.6128 fax: 931.526.1795 email: CS2@phoenixusa.com marketing@phoenixusa.com

© 2020 Phoenix USA, Inc.* All Rights Reserved LFLC20_Rev1

ISO9001 certified